

3-Methyladenine

Chemical Properties

CAS No. : 5142-23-4

Formula: C₆H₇N₅

Molecular Weight: 149.153

Storage: Store at low temperature, Keep away from direct sunlight, Keep away from moisture, The compound is unstable in solution. Please use soon

Powder: -20°C for 3 years

Actual storage temperature shall be subject to the COA.

Biological Description

Description	3-Methyladenine (3-MA) is a PI3K inhibitor that selectively inhibits class IB PI3K γ (IC ₅₀ = 60 μ M) and class III VPS34 (IC ₅₀ = 25 μ M). 3-Methyladenine inhibits autophagy.
Targets(IC50)	Mitophagy, Endogenous Metabolite, Autophagy, PI3K
In vitro	<p>METHODS: Human cervical cancer cells HeLa were treated with 3-Methyladenine (2.5-10 mM) for 48 h. Cell growth inhibition was detected by Trypan blue dye exclusion assay.</p> <p>RESULTS: 3-Methyladenine decreased HeLa cell viability in a time- and dose-dependent manner. [1]</p> <p>METHODS: Adipocytes 3T3-L1 were treated with 3-Methyladenine (5 mM) for 4 h in the absence of serum, and the expression levels of target proteins were detected by Western Blot.</p> <p>RESULTS: 3-Methyladenine significantly decreased the intracellular level of LC3-II, a marker of autophagy, and increased the expression of p62, indicating that 3-Methyladenine was effective in inhibiting autophagy. [2]</p> <p>METHODS: Mouse melanoma cells B16 were treated with 2DG (5 mM), rotenone (1 μM) and 3-Methyladenine (1.2-5 mM) for 24 h. Cytotoxicity was detected by LDH release assay.</p> <p>RESULTS: 3-Methyladenine dose-dependently reduced the up-regulation of LDH release induced by 2DG/rotenone. 3-Methyladenine protected tumor cells from inhibition of glycolysis and mitochondrial respiration. [3]</p>
In vivo	<p>METHODS: To investigate the effects of 3-Methyladenine on atherosclerosis, 3-Methyladenine (30 mg/kg) was injected intraperitoneally into HFD-fed ApoE^{-/-} mice twice weekly for eight weeks.</p> <p>RESULTS: In mice fed a high-fat diet, 3-Methyladenine treatment significantly reduced the size of atherosclerotic plaques and increased the stability of the lesions. 3-Methyladenine has multiple atheroprotective effects on atherosclerosis, including modulation of macrophage autophagy and foam cell formation as well as alteration of the immune microenvironment. [4]</p> <p>METHODS: To investigate the regulatory role of autophagy, a single dose of 3-Methyladenine (15 mg/kg) was administered intraperitoneally to LPS-induced endotoxic shock in C57/BL6 mice.</p>

In vivo	RESULTS: Animals treated with LPS in combination with 3-Methyladenine showed increased survival and decreased serum inflammatory mediators TNF- α and IL-6 after endotoxemia. [5]
Cell Research	Cells were seeded in an 8-well coverglass-bottomed chamber for 24 hours (6×10^3 cells per well). Images were acquired automatically at multiple locations on the coverglass using a Nikon TE2000E inverted microscope fitted with a 20 \times Nikon Plan Apo objective, a linearly-encoded stage, and a Hamamatsu Orca-ER CCD camera. A mercury-arc lamp with two neutral density filters (for a total 128-fold reduction in intensity) was used for fluorescence illumination. The microscope was controlled using NIS-Elements Advanced Research software and housed in a custom-designed 37 $^{\circ}$ C chamber with a secondary internal chamber that delivered humidified 5% CO ₂ . Fluorescence and differential interference contrast images were obtained every 10 min for a period of 48 hours. To analyze live cell imaging movies, the time-lapse records of live cell imaging experiments were exported as an image series and analyzed manually using NIS-Elements Advanced Research software. The criteria for analyses were described previously, and lagging chromosomes in prometaphase were defined as the red fluorescence-positive materials that lingered outside the roughly formed metaphase plate for more than 3 frames (30 min) [2].
Animal Research	All rats were fasted for 12 h with free access to water prior to operation. After anesthesia by intraperitoneal (i.p.) injection of 2% sodium pentobarbital (0.25 mL/100 g), they were laid and fixed on the table, routinely shaven, disinfected, and draped. The rat SAP model was induced by 0.1 mL/min speed uniformly retrograde infusion of a freshly prepared 3.5% sodium taurocholate solution (0.1 mL/100 g) into the biliopancreatic duct after laparotomy. Equivalent volume of normal saline solution was substituted for 3.5% sodium taurocholate solution in the sham-operation (SO) control group. The incision was closed with a continuous 3-0-silk suture, and 2 mL/100 g of saline was injected into the back subcutaneously to compensate for the fluid loss. 180 rats were randomly divided into four groups: (1) Acanthopanax treatment group (Aca group, n = 45) where the rats were injected with 0.2% Acanthopanax injection at a dose of 3.5 mg/100 g 3 h after successful modeling via the vena caudalis once, knowing that this dosage was effective as proven in our previous experiment; (2) 3-Methyladenine treatment group (3-methyladenine group, n = 45) where the rats were injected with 100 nmol/ μ L 3-methyladenine solution at a dose of 1.5 mg/100 g 3 h after successful modeling via the intraperitoneal route once, knowing that this dosage was effective as proven in the literature [6]; (3) SAP model group (SAP group, n = 45) where these rats received an equivalent volume of the normal saline instead of Acanthopanax injection 3 h after successful modeling via the vena caudalis once; (4) SO group (control, n = 45) where these rats received an equivalent volume of the normal saline instead of Acanthopanax injection 3 h after successful sham-operation via the vena caudalis once. The 45 animals in each of the four groups were equally randomized into 3, 12, and 24 h subgroups for postoperative observations [4].

Solubility Information

Solubility	<p>DMSO: 10.90 mg/mL (73.08 mM), Sonication is recommended. The compound is unstable in solution, please use soon.</p> <p>Ethanol: 4.00 mg/mL (26.82 mM), Sonication is recommended. The compound is unstable in solution, please use soon.</p> <p>H₂O: 3.00 mg/mL (20.11 mM), Sonication and heating are recommended. (The compound is unstable in solution, please use soon.)</p> <p>(< 1 mg/ml refers to the product slightly soluble or insoluble)</p>
------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	6.7047 mL	33.5233 mL	67.0466 mL
5 mM	1.3409 mL	6.7047 mL	13.4093 mL
10 mM	0.6705 mL	3.3523 mL	6.7047 mL
50 mM	0.1341 mL	0.6705 mL	1.3409 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

- Hou H, et al. Inhibitors of phosphatidylinositol 3'-kinases promote mitotic cell death in HeLa cells. *PLoS One*. 2012; 7(4):e35665.
- Yan C, Zheng L, Jiang S, et al. Exhaustion-associated cholesterol deficiency dampens the cytotoxic arm of antitumor immunity. *Cancer Cell*. 2023
- Wang S, Li F, Qiao R, et al. Arginine-Rich Manganese Silicate Nanobubbles as a Ferroptosis-Inducing Agent for Tumor-Targeted Theranostics[J]. *ACS nano*. 2018 Dec 26;12(12):12380-12392.
- Zhang Y, Wu K, Liu Y, et al. UHRF2 promotes the malignancy of hepatocellular carcinoma by PARP1 mediated autophagy. *Cellular Signalling*. 2023: 110782.
- Tu W, Qin M, Li Y, et al. Metformin regulates autophagy via LGMN to inhibit choriocarcinoma. *Gene*. 2022: 147090.
- Xiong R, Zhou X G, Tang Y, et al. Lychee seed polyphenol protects the blood-brain barrier through inhibiting A β (25-35)-induced NLRP3 inflammasome activation via the AMPK/mTOR/ULK1-mediated autophagy in bEnd. 3 cells and APP/PS1 mice. *Phytotherapy Research*. 2020
- Zhao Deng, Qi Liu, Miaomiao Wang, Hong-Kui Wei, Jian Peng, et al. GPA Peptide-Induced Nur77 Localization at Mitochondria Inhibits Inflammation and Oxidative Stress through Activating Autophagy in the Intestine. *Oxidative Medicine and Cellular Longevity*. 2020
- Lyu L, Hu Y, Yin S, et al. Autophagy inhibition enhances anti-pituitary adenoma effect of tetrandrine. *Phytotherapy Research*. 2021, 35(7): 4007-4021.
- Wu J N, Lin L, Luo S B, et al. SphK1-driven autophagy potentiates focal adhesion paxillin-mediated metastasis in colorectal cancer. *Cancer Medicine*. 2021
- Chu S, Bi H, Li X, et al. Up-regulation of Nrf2/P62/Keap1 involves in the anti-fibrotic effect of combination of monoammonium glycyrrhizinate and cysteine hydrochloride induced by CCl₄. *European Journal of Pharmacology*. 2021: 174628.
- Liu M, Yang Y, Tan B, et al. G α i and G β γ subunits have opposing effects on dexmedetomidine-induced sedation. *European Journal of Pharmacology*. 2018 Jul 15;831:28-37
- Jing Q, Li G, Chen X, et al. Wnt3a promotes radioresistance via autophagy in squamous cell carcinoma of the head and neck. *Journal of Cellular and Molecular Medicine*. 2019 May 21
- Wu A G, Teng J F, Wong V K W, et al. Novel Steroidal Saponin Isolated from *Trillium tschonoskii* Maxim. Exhibits Anti-Oxidative Effect via Autophagy Induction in cellular and *Caenorhabditis elegans* models. *Phytomedicine*. 2019: 153088.
- Heckmann BL, et al. The autophagic inhibitor 3-methyladenine potently stimulates PKA-dependent lipolysis in adipocytes. *Br J Pharmacol*. 2013 Jan;168(1):163-71.
- Liu X, Fang Y, Lv X, et al. Deubiquitinase OTUD6A in macrophages promotes intestinal inflammation and colitis via deubiquitination of NLRP3. *Cell Death & Differentiation*. 2023: 1-15.
- Tu W, Qin M, Li Y, et al. Metformin regulates autophagy via LGMN to inhibit choriocarcinoma. *Gene*. 2022: 147090.
- Zhou J, Ji T, He H N, et al. Induction of autophagy promotes porcine parthenogenetic embryo development under low oxygen conditions. *Reproduction, Fertility and Development*. 2020, 32(7): 657-666
- Jiang H, Wang C, Zhang A, et al. ATF4 protects against sorafenib-induced cardiotoxicity by suppressing ferroptosis. *Biomedicine & Pharmacotherapy*. 2022, 153: 113280
- Yang J, Li J, Guo H, et al. An Experimental Study Reveals the Protective Effect of Autophagy against Realgar-Induced Liver Injury via Suppressing ROS-Mediated NLRP3 Inflammasome Pathway. *International Journal of Molecular Sciences*. 2022, 23(10): 5697
- Zhang P, Ni H, Zhang Y, et al. Ivermectin confers its cytotoxic effects by inducing AMPK/mTOR-mediated autophagy and DNA damage. *Chemosphere*. 2020: 127448.
- Wang S, Li F, Qiao R, et al. Arginine-Rich Manganese Silicate Nanobubbles as a Ferroptosis-Inducing Agent for Tumor-Targeted Theranostics. *ACS nano*. 2018 Dec 26;12(12):12380-12392.
- Wang C, Fu J, Wang M, et al. Bartonella quintana type IV secretion effector BepE -induced selective autophagy by conjugation with K63 polyubiquitin chain. *Cellular Microbiology*. 2019, 21(4): e12984
- Xia Y, Chen J, Yu Y, et al. Compensatory combination of mTOR and TrxR inhibitors to cause oxidative stress and regression of tumors. *Theranostics*. 2021, 11(9): 4335.
- Zhang Y, Ding Y, Li M, et al. MicroRNA-34c-5p provokes isoprenaline-induced cardiac hypertrophy by modulating autophagy via targeting ATG4B. *Acta Pharmaceutica Sinica B*. 2021

- hang C, Liu Z, Zhang Y, et al. Z “Iron free” zinc oxide nanoparticles with ion-leaking properties disrupt intracellular ROS and iron homeostasis to induce ferroptosis. *Cell Death & Disease*. 2020, 11(3): 1-15.
- Kosic M, et al. 3-Methyladenine prevents energy stress-induced necrotic death of melanoma cells through autophagy-independent mechanisms. *J Pharmacol Sci*. 2021 Sep;147(1):156-167.
- Zhang J, Zhou E C, He Y, et al. ZYG11B potentiates the antiviral innate immune response by enhancing cGAS-DNA binding and condensation. *Cell Reports*. 2023, 42(3).
- Gao X, Jiang P, Zhang Q, et al. Pegylated-H1/pHGFK1 nanoparticles enhance anti-tumor effects of sorafenib by inhibition of drug-induced autophagy and stemness in renal cell carcinoma. *Journal of Experimental & Clinical Cancer Researc*. 2019, 38(1): 1-15
- Liu T, Zong S, Luo P, et al. Enhancing autophagy by down-regulating GSK-3 β alleviates cisplatin-induced ototoxicity in vivo and in vitro. *Toxicology Letters*. 2019
- Zhang H, Cui Z, Cheng D, et al. RNF186 regulates EFNB1 (ephrin B1)-EPHB2-induced autophagy in the colonic epithelial cells for the maintenance of intestinal homeostasis. *Autophagy*. 2021 Oct;17(10):3030-3047
- Xue J, Gruber F, Tschachler E, et al. Crosstalk between oxidative stress, autophagy and apoptosis in Hemoporphin Photodynamic Therapy treated human umbilical vein endothelial cells. *Photodiagnosis and Photodynamic Therapy*. 2020: 102137.
- Zhao Deng, Jiangjin Ni, Xiaoyu Wu, Hongkui Wei, et al. GPA peptide inhibits NLRP3 inflammasome activation to ameliorate colitis through AMPK pathway. *Aging-us*. 2020
- Wang H, Ye J, Peng Y, et al. CKLF induces microglial activation via triggering defective mitophagy and mitochondrial dysfunction. *Autophagy*. 2023 (just-accepted).
- Wu X, Yi X, Zhao B, et al. The volume regulated anion channel VRAC regulates NLRP3 inflammasome by modulating itaconate efflux and mitochondria function. *Pharmacological Research*. 2023: 107016.
- Su C, Cheng C, Rong Z, et al. Repurposing fluphenazine as an autophagy modulator for treating liver cancer. *Heliyon*. 2023
- Zhang M, Tan H, Gong Y, et al. TRIM26 restricts Epstein-Barr virus infection in nasopharyngeal epithelial cells through K48-linked ubiquitination of HSP-90 β . *The FASEB Journal*. 2024, 38(1): e23345.
- Han Y, Wang C, Lu K, et al. Bovine parainfluenza type 3 virus induces incomplete autophagy to promote viral replication by activated beclin1 in vitro. *Veterinary Microbiology*. 2024: 109972.
- Wang X, Ji Y, Qi J, et al. Mitochondrial carrier 1 (MTCH1) governs ferroptosis by triggering the FoxO1-GPX4 axis-mediated retrograde signaling in cervical cancer cells. *Cell Death & Disease*. 2023, 14(8): 1-13.
- Dai S, et al. Systemic application of 3-methyladenine markedly inhibited atherosclerotic lesion in ApoE $^{-/-}$ mice by modulating autophagy, foam cell formation and immune-negative molecules. *Cell Death Dis*. 2016 Dec 1;7(12): e2498.
- Tang Y, Wei J, Wang X F, et al. Activation of autophagy by Citri Reticulatae Semen extract ameliorates amyloid-beta-induced cell death and cognition deficits in Alzheimer's disease. *Neural Regeneration Research*. 2024
- Chen J, Liu Y, You Y, et al. Biotin-decorated celastrol-loaded ZIF-8 nanoparticles induce ferroptosis for colorectal cancer therapy. *Materials & Design*. 2024: 112814.
- Liu T, Shi J, Wu D, et al. THSG alleviates cerebral ischemia/reperfusion injury via the GluN2B-CaMKII-ERK1/2 pathway. *Phytomedicine*. 2024: 155595.
- Li K, Wang A, Diao Y, et al. Oxidative medicine and cellular longevity the role and mechanism of NCOA4 in ferroptosis induced by intestinal ischemia reperfusion. *International Immunopharmacology*. 2024, 133: 112155.
- Xu X, Xie T, Zhou M, et al. Hsc70 promotes anti-tumor immunity by targeting PD-L1 for lysosomal degradation. *Nature Communications*. 2024, 15(1): 4237.
- Liao W, Zhang R, Chen G, et al. Berberine synergises with ferroptosis inducer sensitizing NSCLC to ferroptosis in p53-dependent SLC7A11-GPX4 pathway. *Biomedicine & Pharmacotherapy*. 2024, 176: 116832.
- Yin Z, Zhang J, Zhao M, et al. EDIL3/Del-1 prevents aortic dissection through enhancing internalization and degradation of apoptotic vascular smooth muscle cells. *Autophagy*. 2024 (just-accepted).
- Li Y, Yan W, Qin Y, et al. The Anthraquinone Derivative C2 Enhances Oxaliplatin-Induced Cell Death and Triggers Autophagy via the PI3K/AKT/mTOR Pathway. *International Journal of Molecular Sciences*. 2024, 25(12): 6468.
- Zhu H, Wang F L, Zhang S, et al. γ -Tocotrienol enhances autophagy of gastric cancer cells by the regulation of GSK3 β / β -Catenin pathway. *Molecular Carcinogenesis*. 2024
- Chen H, Hu J, Xiong X, et al. SETD8 inhibits apoptosis and ferroptosis of Ewing's sarcoma through YBX1/RAC3 axis. *Cell Death & Disease*. 2024, 15(7): 494.

- Long T, Chen X, Zhang Y, et al. Protective effects of Radix Stellariae extract against Alzheimer's disease via autophagy activation in Caenorhabditis elegans and cellular models. *Biomedicine & Pharmacotherapy*. 2023, 165: 115261.
- Li Q, et al. Inhibition of autophagy with 3-methyladenine is protective in a lethal model of murine endotoxemia and polymicrobial sepsis. *Innate Immun*. 2018 May;24(4):231-239.
- Wang Y, Liu G, Qiu F, et al. Corilagin Alleviated Intestinal Ischemia-Reperfusion Injury by Modulating Endoplasmic Reticulum Stress via Bonding with Bip. *Phytomedicine*. 2024: 156011.
- Zheng H, Chen H, Cai Y, et al. Hydrogen sulfide-mediated persulfidation regulates homocysteine metabolism and enhances ferroptosis in non-small cell lung cancer. *Molecular Cell*. 2024
- Wang Z, Wu Z, Chen J, et al. Cyclovirobuxine D Inhibits Triple-Negative Breast Cancer via YAP/TAZ Suppression and Activation of the FOXO3a/PINK1-Parkin Pathway-Induced Mitophagy. *Phytomedicine*. 2024: 156287.
- Duan J, Guan X, Xue J, et al. RAB37 suppresses the EMT, migration and invasion of gastric cancer cells by mediating autophagic degradation of β -catenin. *Cellular Oncology*. 2024: 1-15.
- Kong K, Li B, Chang Y, et al. Delivery of FGF18 using mRNA-LNP protects the cartilage against degeneration via alleviating chondrocyte senescence. *Journal of Nanobiotechnology*. 2025, 23(1): 1-21.
- Wu Z, Lin C, Zhang F, et al. TIGD1 Function as a Potential Cuproptosis Regulator Following a Novel Cuproptosis-Related Gene Risk Signature in Colorectal Cancer. *Cancers*. 2023, 15(8): 2286.
- hang C, Liu Z, Zhang Y, et al. Z "Iron free" zinc oxide nanoparticles with ion-leaking properties disrupt intracellular ROS and iron homeostasis to induce ferroptosis[J]. *Cell Death & Disease*. 2020, 11(3): 1-15.
- Shang Z, Zhang T, Jiang M, et al. High-carbohydrate, High-fat Diet-induced Hyperlipidemia Hampers the Differentiation Balance of Bone Marrow Mesenchymal Stem Cells by Suppressing Autophagy via the AMPK/mTOR Pathway in Rat Models[J]. 2020.
- Zhang W, Li X, Jiang M, et al. SOCS3 deficiency-dependent autophagy repression promote the survival of early-stage myeloid-derived suppressor cells in breast cancer by activating the Wnt/mTOR pathway. *Journal of Leukocyte Biology*. 2023: qiad020.
- Jiao J, Ruan L, Cheng C, et al. Paired protein kinases PRKCI-RIPK2 promote pancreatic cancer growth and metastasis via enhancing NF- κ B/JNK/ERK phosphorylation. *Molecular Medicine*. 2023, 29(1): 1-17.
- Xia Y, Chen J, Yu Y, et al. Compensatory combination of mTOR and TrxR inhibitors to cause oxidative stress and regression of tumors[J]. *Theranostics*. 2021, 11(9): 4335.
- Zhang H, Cui Z, Cheng D, et al. RNF186 regulates EFNB1 (ephrin B1)-EPHB2-induced autophagy in the colonic epithelial cells for the maintenance of intestinal homeostasis[J]. *Autophagy*. 2020
- Cao P, Wang Y, Zhang C, et al. Quercetin ameliorates non-alcoholic fatty liver disease (NAFLD) via the promotion of AMPK-mediated hepatic mitophagy. *The Journal of Nutritional Biochemistry*. 2023: 109414.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel: 781-999-4286 E_mail: info@targetmol.com Address: 34 Washington Street, Wellesley Hills, MA 02481