


Eriochrome Black T

Chemical Properties

CAS No. :	1787-61-7
Formula:	C ₂₀ H ₁₃ N ₃ NaO ₇ S
Molecular Weight:	462.39
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year Actual storage temperature shall be subject to the COA.



Biological Description

Description	Eriochrome Black T is a complexometric indicator. Eriochrome Black T is used in complexometric titrations.
Targets(IC50)	Others

Solubility Information

Solubility	DMSO: Soluble, (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	---

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.1627 mL	10.8134 mL	21.6268 mL
5 mM	0.4325 mL	2.1627 mL	4.3254 mL
10 mM	0.2163 mL	1.0813 mL	2.1627 mL
50 mM	0.0433 mL	0.2163 mL	0.4325 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

- Jarujamrus P, Malahom N, Puchum S, Meelapsom R, Amatatongchai M, Siripinyanond A, Chairam S, Kulsing C. Complexometric and argentometric titrations using thread-based analytical devices. *Talanta*. 2018 Jun 1;183:228-236. doi: 10.1016/j.talanta.2018.02.058. Epub 2018 Feb 17. PubMed PMID: 29567169.
- Wang SN, Chen QJ, Zhu MJ, Xue FY, Li WC, Zhao TJ, Li GD, Zhang GQ. An extracellular yellow laccase from white rot fungus *Trametes* sp. F1635 and its mediator systems for dye decolorization. *Biochimie*. 2018 Feb 28. pii: S0300-9084(18)30058-0. doi: 10.1016/j.biochi.2018.02.015. [Epub ahead of print] PubMed PMID: 29501482.
- Yilmaz MD, Oktem HA. Eriochrome Black T-Eu(3+) Complex as a Ratiometric Colorimetric and Fluorescent Probe for the Detection of Dipicolinic Acid, a Biomarker of Bacterial Spores. *Anal Chem*. 2018 Mar 20;90(6):4221-4225. doi: 10.1021/acs.analchem.8b00576. Epub 2018 Mar 7. PubMed PMID: 29488375.
- Karimi MH, Mahdavinia GR, Massoumi B, Baghban A, Saraei M. Ionically crosslinked magnetic chitosan/ κ -carrageenan bioadsorbents for removal of anionic eriochrome black-T. *Int J Biol Macromol*. 2018 Feb 19;113:361-375. doi: 10.1016/j.ijbiomac.2018.02.102. [Epub ahead of print] PubMed PMID: 29471096.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481