

EFNB1 Protein, Mouse, Recombinant (hFc & His)

General Information

Synonyms:	EFNB1;LERK-2;EPH-related receptor tyrosine kinase ligand 2;ELK-L;EPLG2;EFL3;Ephrin-B1;EFL-3;ELK ligand;LERK2
Protein Construction:	Lys30-Ser229
Species:	Mouse
Expression Host:	HEK293 Cells
Accession:	P52795
Molecular Weight:	58-80 KDa (reducing condition)
AA Sequence:	Lys30-Ser229

QC Testing

Biological Activity:	Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.
Endotoxin:	< 0.1 ng/μg (1 EU/μg) as determined by LAL test.
Formulation:	Lyophilized from a solution filtered through a 0.22 μm filter, containing 20 mM PB, 150 mM NaCl, pH 7.4.

Preparation and Storage

Reconstitution:

Reconstitute the lyophilized protein in distilled water. The product concentration should not be less than 100 μg/ml. Before opening, centrifuge the tube to collect powder at the bottom. After adding the reconstitution buffer, avoid vortexing or pipetting for mixing.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months.

Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Protein Background

Mouse Ephrin-B1 is a single-pass type I membrane protein which belongs to the ephrin family. It contains an ephrin RBD (ephrin receptor-binding) domain, and expressed in heart, placenta, lung, liver, skeletal muscle, kidney and pancreas. Ephrin-B1 is cell surface transmembrane ligand for Eph receptors, a family of receptor tyrosine kinases which are crucial for migration, repulsion and adhesion during neuronal, vascular and epithelial development. It binds promiscuously Eph receptors residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. It may play a role in cell adhesion and function in the development

or maintenance of the nervous system.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481