

TL1A/TNFSF15 Protein, Mouse, Recombinant

General Information

Synonyms:	TNFSF15;Tumor Necrosis Factor Ligand Superfamily Member 15;VEGI;Vascular Endothelial Cell Growth Inhibitor;TL1;TNF Ligand-Related Molecule 1
Protein Construction:	Ile76-Leu252
Species:	Mouse
Expression Host:	E. coli
Accession:	AAV33431.1
Molecular Weight:	19 KDa (reducing condition)
AA Sequence:	Ile76-Leu252

QC Testing

Biological Activity:	1. Loaded TL1A Antibody-Fc on Protein A Biosensor, can bind Mouse TL1A-None with an affinity constant of 12.8 pM as determined in BLI assay. (Regularly tested) 2. Immobilized Recombinant Mouse TL1A at 2µg/ml (100 µl/well) can bind Human TL1A Antibody (9H5). The ED50 of Human TL1A Antibody (9H5) is 1.73 ng/ml. (Regularly tested)
Purity:	Greater than 95% as determined by reducing SDS-PAGE. (QC verified)
Endotoxin:	< 0.1 ng/µg (1 EU/µg) as determined by LAL test.
Formulation:	Lyophilized from a solution filtered through a 0.22 µm filter, containing 20 mM PB, 300 mM NaCl, pH 7.0.

Preparation and Storage

Reconstitution:

Reconstitute the lyophilized protein in distilled water. The product concentration should not be less than 100 µg/ml. Before opening, centrifuge the tube to collect powder at the bottom. After adding the reconstitution buffer, avoid vortexing or pipetting for mixing.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Protein Background

Tumor Necrosis Factor Ligand Superfamily Member 15 (TNFSF15) is a new member of the tumor necrosis factor family. TNFSF15 is predominantly an endothelial cell-specific gene, and recombinant TNFSF15 is a potent inhibitor

A DRUG SCREENING EXPERT

of endothelial cell proliferation, angiogenesis and tumor growth. TNFSF15 exerts two activities on endothelial cells: early G1 arrest of G0/G1-cells responding to growth stimuli and programmed cell death of proliferating cells. These activities are highly specific to endothelial cells. TNFSF15 is also able to regulate the expression of several important genes involved in angiogenesis. These findings are consistent with the view that TNFSF15 functions as an autocrine cytokine to inhibit angiogenesis and stabilize the vasculature.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481