

TRIM Protein, Human, Recombinant (His)

General Information

Synonyms:	pp29/30;TRIM;HSPC062;TCRIM;TRAT1;T-Cell Receptor-Interacting Molecule;T-Cell Receptor-Associated Transmembrane Adapter 1
Protein Construction:	Asn29-Asn186
Species:	Human
Expression Host:	E. coli
Accession:	Q6PIZ9
Molecular Weight:	30 KDa (reducing condition)
AA Sequence:	Asn29-Asn186

QC Testing

Biological Activity:	Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.
Purity:	Greater than 95% as determined by reducing SDS-PAGE. (QC verified)
Endotoxin:	< 0.1 ng/μg (1 EU/μg) as determined by LAL test.
Formulation:	Supplied as a 0.2 μm filtered solution of 20 mM Tris-HCl, 150 mM NaCl, 1 mM EDTA, 20% Glycerol, pH8.0.

Preparation and Storage

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

Proteins are shipped with blue ice.

Protein Background

T-Cell Receptor-Associated Transmembrane Adapter 1 (TRAT1) is a single-pass type III membrane protein. TRAT1 exists as a disulfide-linked homodimer and is strongly expressed in the thymus, and to a lesser extent in the spleen, lymph node, and peripheral blood lymphocytes. TRAT1 is phosphorylated on tyrosines by LCK or FYN upon TCR activation. Its function is to stabilize the TCR (T-cell antigen receptor)/CD3 complex at the surface of T-cells.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481