

## VEGF165 Protein, Human, Recombinant (His & Avi)

### General Information

Synonyms:	RP1-261G23.1;MVCD1;MGC70609;VEGFA;VEGFMGC70609;VPF;VEGF-165;VEGF;VAS
Protein Construction:	Ala27-Arg191
Species:	Human
Expression Host:	HEK293 Cells
Accession:	P15692-4
Molecular Weight:	22.2 kDa (predicted). Due to glycosylation, the protein migrates to 28-35 kDa under reduced (R) condition, 45-60 kDa under Non reducing (N) condition based on Tris-Bis PAGE result.

### QC Testing

Biological Activity:	Immobilized Human VEGF165 at 0.2µg/ml (100µl/well) on the plate. Dose response curve for Anti-VEGF165 Antibody, hFc Tag with the EC50 of 13.4ng/ml determined by ELISA.
Purity:	> 95% as determined by Tris-Bis PAGE
Endotoxin:	< 1.0 EU/µg of the protein as determined by the LAL method.
Formulation:	Lyophilized from a solution filtered through a 0.22 µm filter, containing PBS (pH 7.4). Typically, 8% trehalose is incorporated as a protective agent before lyophilization.

### Preparation and Storage

#### Reconstitution:

Reconstitute the lyophilized protein in distilled water. The product concentration should not be less than 100 µg/ml. Before opening, centrifuge the tube to collect powder at the bottom. After adding the reconstitution buffer, avoid vortexing or pipetting for mixing.

#### Stability & Storage:

It is recommended to store recombinant proteins at -20°C to -80°C for future use. Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

#### Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

### Protein Background

Vascular endothelial growth factor (VEGF or VEGF-A), also known as vascular permeability factor (VPF), is a potent mediator of both angiogenesis and vasculogenesis in the fetus and adult. VEGF165 appears to be the most abundant and potent isoform, followed by VEGF121 and VEGF189.

Reference

Rosen, L. S. VEGF-Targeted Therapy: Therapeutic Potential and Recent Advances[J]. The Oncologist, 2005, 10(6): 382-39

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481