

Myosin H Chain Fragment, mouse acetate

Chemical Properties

CAS No. :

Formula: C₉₃H₁₅₀F₃N₂₅O₃₀S

Molecular Weight: 2187.4

Keep away from moisture

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Actual storage temperature shall be subject to the COA.

Biological Description

Description	Myosin H Chain Fragment, mouse acetate salt is a peptide segment derived from the α -myosin heavy chain and is used to induce experimental autoimmune myocarditis (EAM) in mice.
-------------	---

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	0.4572 mL	2.2858 mL	4.5716 mL
5 mM	0.0914 mL	0.4572 mL	0.9143 mL
10 mM	0.0457 mL	0.2286 mL	0.4572 mL
50 mM	0.0091 mL	0.0457 mL	0.0914 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel: 781-999-4286 E_mail: info@targetmol.com Address: 34 Washington Street, Wellesley Hills, MA 02481