

mSIRK

## Chemical Properties

CAS No. : 593267-11-9


Formula: C<sub>93</sub>H<sub>150</sub>N<sub>20</sub>O<sub>25</sub>

Molecular Weight: 1948.31

Keep away from moisture, Store at low temperature

Storage: Store at -20°C

Actual storage temperature shall be subject to the COA.



## Biological Description

Description	mSIRK (G-Protein $\beta$ Binding Peptide) is a cell-permeable activator of ERK 1/2 with an EC <sub>50</sub> of 2.5-5 $\mu$ M. It disrupts the interaction between the $\alpha$ and $\beta$ subunits, facilitating $\alpha$ subunit dissociation without inducing nucleotide exchange [1].
Targets(IC <sub>50</sub> )	ERK

## Solubility Information

Solubility DMSO: 100 mg/mL (51.33 mM), Sonication is recommended.  
( $< 1$  mg/ml refers to the product slightly soluble or insoluble)

## Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	0.5133 mL	2.5663 mL	5.1327 mL
5 mM	0.1027 mL	0.5133 mL	1.0265 mL
10 mM	0.0513 mL	0.2566 mL	0.5133 mL
50 mM	0.0103 mL	0.0513 mL	0.1027 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

## Reference

Farida Goubaeva, et al. Stimulation of Cellular Signaling and G Protein Subunit Dissociation by G Protein  $\beta$  Subunit-binding Peptides. J Biol Chem. 2003 May 30;278(22):19634-41.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481