

UGT89C1 Protein, Arabidopsis thaliana, Recombinant (Yeast, His)

General Information

Synonyms:	Flavonol 7-O-rhamnosyltransferase;UDP-glycosyltransferase 89C1;UGT89C1;UDP-rhamnose: flavonol 7-O-rhamnosyltransferase
Protein Construction:	1-435 aa
Species:	Arabidopsis thaliana
Expression Host:	P. pastoris (Yeast)
Accession:	Q9LNE6
Molecular Weight:	50.6 kDa (predicted)
AA Sequence:	<pre>MTTTTTKKPHVLVIPFPQSGHMVPHLDLTHQILLRGATVTVLVTPKNSSYLDALRSLHSPEHFKTLILPFP SHPCI PSGVESLQQLPLEAIVHMFDA LSR LHDPLVDFLSRQPPSDLPDAILGSSFLSPWINKVADAFSISISFLPINAH SISVMWAQEDRSFFNDLETATTESYGLVINSFYDLEPEFVETVKTRFLNHHRIWTVGPLL PFKAGVDRGGQSSI PPAKVSAWLDSCPEDNSVVYVGFSGS QIRLTAEQTAALAAALEKSSVRFIWA VRDAAKKNSSD NSVEEDVIP AGFEERVKEKGLVIRGWAPQTMILEHRAVGSYLTHL GWG SVLEGMVGGV MLLAWPMQADHFFNTTLIVDKL RAAVRVGENRDSVPDSDKLARILAESAREDLPERV TLMKLRKAMEAIKEGGSSYKNLDELVAEMCL</pre>

QC Testing

Biological Activity:	Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.
Purity:	> 85% as determined by SDS-PAGE.
Endotoxin:	< 1.0 EU/μg of the protein as determined by the LAL method.
Formulation:	Tris-based buffer, 50% glycerol

Preparation and Storage

Reconstitution:

A Certificate of Analysis (CoA) containing reconstitution instructions is included with the products. Please refer to the CoA for detailed information.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Protein Background

Flavonol 7-O-rhamnosyltransferase that catalyzes the transfer of rhamnose from UDP-rhamnose to the 7-OH

position of 3-O-glycosylated flavonols, such as kaempferol 3-O-rhamnoside, kaempferol 3-O-glucoside, quercetin 3-O-glucoside, quercetin 3-O-galactoside, quercetin 3-O-rhamnoside and isorhamnetin 3-O-glucoside. Is able to glycosylate the flavonols quercetin and kaempferol to yield quercetin 7-O-rhamnoside and kaempferol 7-O-rhamnoside. Shows a strict specificity for UDP-rhamnose as sugar donor. Does not act on 3-O-glycosylated anthocyanins. The accumulation of kaempferol 3-O-rhamnoside-7-O-rhamnoside inhibits basipetal auxin transport, which influences auxin distribution and plant organ development.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481