

## HSD11B2 Protein, Human, Recombinant (His)

### General Information

Synonyms:	Corticosteroid 11-beta-dehydrogenase isozyme 2;NAD-dependent 11-beta-hydroxysteroid dehydrogenase;HSD11B2;HSD11K;11-beta-HSD2;11-beta-hydroxysteroid dehydrogenase type II (11-HSD type II;11-beta-HSD type II);Short chain dehydrogenase/reductase family 9C member 3;11-DH2;11-beta-hydroxysteroid dehydrogenase type 2;SDR9C3
Protein Construction:	1-405 aa
Species:	Human
Expression Host:	P. pastoris (Yeast)
Accession:	P80365
Molecular Weight:	46.1 kDa (predicted)
AA Sequence:	MERWPWPSGGAWLLVAARALLQLLRSDLRLGRPLLAALALLAALDWLQCQRLPPPAALAVLAAAGWIALSR LARPQRLPVATRAVLITGCDSGFGKETAKKLDMSGFTVLATVLELNSPGAIELRTCCSPRLRLQMDLTKPGDIS RVLEFTKAHTTSTGLWGLVNNAGHNEVVADAELSPVATFRSCMEVNFFGALELTKGLLPLLRSSRGRIVTVGS PAGDMPYPCLGAYGTSKAAVALLMDFSCCELLPWGVKVSIIQPGCFKTESVRNVGQWEKRKQLLLANLPQEL LQAYGKDYIEHLHGQFLHSLRLMSDLTPVDAITDALLAARPRRRYYPGQGLGLMYFIHYLPEGLRRRFLQ AFFISHCLPRALQPGQPGTTPQDAAQDPNLSPGPSPAVAR

### QC Testing

Biological Activity:	Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.
Purity:	> 90% as determined by SDS-PAGE.
Endotoxin:	< 1.0 EU/μg of the protein as determined by the LAL method.
Formulation:	Tris-based buffer, 50% glycerol

### Preparation and Storage

#### Reconstitution:

A Certificate of Analysis (CoA) containing reconstitution instructions is included with the products. Please refer to the CoA for detailed information.

#### Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

*Actual storage temperature shall be subject to the COA.*

#### Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

**Protein Background**

Catalyzes the conversion of cortisol to the inactive metabolite cortisone. Modulates intracellular glucocorticoid levels, thus protecting the nonselective mineralocorticoid receptor from occupation by glucocorticoids.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481