

## Human adenovirus B serotype 3 Hexon protein (His & Myc)

### General Information

Synonyms: L3;CP-H;Protein II;Hexon protein

Protein Construction: 625-853 aa

Species: HAdV-3

Expression Host: E. coli

Accession: P36849

Molecular Weight: 33.7 kDa (predicted)

AA Sequence: MLRNDTNDQSFNDYLSAANMLYPIANATNIPISIPSRNWAAFRGWSFTRLKTKETPSLGSGFDPYFVYSGSI  
PYLDGTFYLNHTFKKVAIMFDSSVSWPGNDRLLSPNEFEIKRTVDGEGYNVAQCNMTKDWFLVQMLANYNI  
GYQGFYIPEGYKDRMYSFFRNFPMSRQVVDEVNYTDYKAVTLPYQHNNSGFVGYLAPTMRQGEYPANY  
PYPLIGTTAVKSVTQ

### QC Testing

Biological Activity: Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.

Purity: > 85% as determined by SDS-PAGE.

Endotoxin: < 1.0 EU/μg of the protein as determined by the LAL method.

Formulation: If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.

### Preparation and Storage

#### Reconstitution:

Reconstitute the lyophilized protein in sterile deionized water. The product concentration should not be less than 100 μg/mL. Before opening, centrifuge the tube to collect powder at the bottom. After adding the reconstitution buffer, avoid vortexing or pipetting for mixing.

#### Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

#### Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

### Protein Background

Major capsid protein that self-associates to form 240 hexon trimers, each in the shape of a hexagon, building most

## A DRUG SCREENING EXPERT

---

of the pseudo T=25 capsid. Assembled into trimeric units with the help of the chaperone shutoff protein. Transported by pre-protein VI to the nucleus where it associates with other structural proteins to form an empty capsid. Might be involved, through its interaction with host dyneins, in the intracellular microtubule-dependent transport of incoming viral capsid to the nucleus.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481