

HNRNPM Protein, Human, Recombinant (His & SUMO)

General Information

Synonyms: NAGR1;hnRNP M;HNRNPM;HNRPM;Heterogeneous nuclear ribonucleoprotein M

Protein Construction: 2-730 aa

Species: Human

Expression Host: E. coli

Accession: P52272

Molecular Weight: 93.4 kDa (predicted)

AA Sequence: AAGVEAAAEEVAATEIKMEEESGAPGVPSGNGAPGPKGEGERPAQNEKRKEKNIKRGGNRFEPYANPTKRYR
AFITNIPFDVKWQSLKDLVKEKVGVEVTVELLMDAEGKSRGCAVVEFKMEESMKAEEVLNKHLSGRPLKVK
EDPDGEHARRAMQKVMATTGGMGMGPGGPGMITIPPSILNNPNIPNEIIHALQAGRLGSTVFFVANLDYKVG
WKKLKEVFSMAGVVVRADILEDKDGKSRGIGTVTFEQSIEAVQAISMFNQQLLFDPRPMHVKMDERALPKGDF
FPPERPQQLPHGLGGIGMGLPGGQPIDANHLNKGIGMGNIGPAGMGMEGIGFINKMGMEGPFGGGME
NMGRFGSGMNMGRINEILSNALKRGEIIAKQGGGGGGGSGVPIERMGPIDRLGGAGMERMGAGLGHGMD
RVGSEIERMGLVMDRMGSVERMGSGIERMGLPLGDHMASSIERMQTMERIGSGVERMGAGMGFGLERMA
APIDRVGQTIERMGSVERMGPAIERMGLSMERMVPAAGMGAGLERMGPVMDRMATGLERMGANNLERMG
LERMGANSLERMGLERMGANSLERMGPAMGPALGAGIERMGLAMGGGGGASFDRAIEMERGNFGGFSFAG
SFGGAGGHAPGVARKACQIFVRNLPDFTWKMLKDKFNECGHVLYADIKMENGKSKGCGVVKFESPEVAER
ACRMMNGMKLSGREIDVRIDRNA

QC Testing

Biological Activity: Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.

Purity: > 90% as determined by SDS-PAGE.

Endotoxin: < 1.0 EU/μg of the protein as determined by the LAL method.

Formulation: Tris-based buffer, 50% glycerol

Preparation and Storage

Reconstitution:

A Certificate of Analysis (CoA) containing reconstitution instructions is included with the products. Please refer to the CoA for detailed information.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Protein Background

Pre-mRNA binding protein in vivo, binds avidly to poly(G) and poly(U) RNA homopolymers in vitro. Involved in splicing. Acts as a receptor for carcinoembryonic antigen in Kupffer cells, may initiate a series of signaling events leading to tyrosine phosphorylation of proteins and induction of IL-1 alpha, IL-6, IL-10 and tumor necrosis factor alpha cytokines.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481