

NR4A1 Protein, Human, Recombinant (His & Myc)

General Information

Synonyms:	NAK1;Testicular receptor 3;HMR;Orphan nuclear receptor HMR;Early response protein NAK1; Nuclear receptor subfamily 4immunitygroup A member 1;GFRP1;NR4A1;Nuclear hormone receptor NUR/77 (Nur77);ST-59;Orphan nuclear receptor TR3
Protein Construction:	1-598 aa
Species:	Human
Expression Host:	E. coli
Accession:	P22736
Molecular Weight:	69.5 kDa (predicted)
AA Sequence:	MPCIQAQYGTAPSPGPRDHLASDPLTPEFIKPTMDLASPEAAPAAPTALPSFSTFMDGYTGEFDTFLYQLPG TVQPCSSASSASSTSSSSATSPASAFKFEDFQVYGCYPGPLSGPVDEALSSSGSDYYGSPCSAPSPSTPSFQ PPQLSPWDGSGFHFSQTYEGLRAWTEQLPKASGPPQPPAFFSFSPPTGSPSLAQSPKLFPSQATHQLG EGESYSMPATAFPGLAPTSPHLEGSGILDTPVTSTKARSGAPGGSEGRCAVCGDNASCQHYGVRTCEGCKGFFK RTVQKNAKYICLANKDCPVDKRRRNRCQFCRFQKCLAVGMVKEVVRTDSLKGRRGRLPSKPKQPPDASPAN LLTSLVRAHLDSGPSTAKLDYSKFQELVLPFHGKEDAGDVQQFYDLLSGSLEVIRKWAEEKIPGFAELSPADQDL LLESFALELFILRLAYRSKPGEGKLIFCSGLVHLRLQCARGFGDWIDSILAFSRSLHLLVDVPAFACLSALVLITD RHGLQEPRRVEELQNRIASCLKEHVAAVAGEPQPASCLSRLLGKLPPELRTLCTQGLQRIFYLKLEDLVPPPIID KIFMDTLPF

QC Testing

Biological Activity:	Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.
Purity:	> 85% as determined by SDS-PAGE.
Endotoxin:	< 1.0 EU/μg of the protein as determined by the LAL method.
Formulation:	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.

Preparation and Storage

Reconstitution:

Reconstitute the lyophilized protein in sterile deionized water. The product concentration should not be less than 100 μg/mL. Before opening, centrifuge the tube to collect powder at the bottom. After adding the reconstitution buffer, avoid vortexing or pipetting for mixing.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Protein Background

Orphan nuclear receptor. May act concomitantly with NURR1 in regulating the expression of delayed-early genes during liver regeneration. Binds the NGFI-B response element (NBRE) 5'-AAAAGGTCA-3'. May inhibit NF-kappa-B transactivation of IL2. Participates in energy homeostasis by sequestering the kinase STK11 in the nucleus, thereby attenuating cytoplasmic AMPK activation. Plays a role in the vascular response to injury.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel: 781-999-4286 E_mail: info@targetmol.com Address: 34 Washington Street, Wellesley Hills, MA 02481