

## PARL Protein, Human, Recombinant (Myc)

## General Information

Synonyms:	Mitochondrial intramembrane cleaving protease PARL;PSARL;PARL;Presenilin-associated rhomboid-like protein, mitochondrial;mitochondrial
Protein Construction:	53-379 aa
Species:	Human
Expression Host:	E. coli
Accession:	Q9H300
Molecular Weight:	37.8 kDa (predicted)
AA Sequence:	FRKAPRKVEPRRSDPGTSGEAYKRSALIPPVEETVFYPSYPPIRSLIKPLFFTVGFTGCAFGSAAIWQYESLKSRV QSYFDGIKADWLDLSIRPQKEGDFRKEINKWWNNLSDGQRTVTGIIAANVLVFLWRVPSLQRTMIRYFTSNP ASKVLCSPMLLSTFSHFSLFHMAANMYVLWSFSSSIVNILGQEQFMAVYLSAGVISNFVSYVGKVATGRYGPS LGASGAIMTVLAAVCTKIPEGRLLAIFLPMFTFTAGNALKAIAMDTAGMILGWKFFDHA AHLGGALFGIWIYVTY GHELIWKNREPLVKIWEIRTNGPKKGGGSK

## QC Testing

Biological Activity:	Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.
Purity:	> 85% as determined by SDS-PAGE.
Endotoxin:	< 1.0 EU/μg of the protein as determined by the LAL method.
Formulation:	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.

## Preparation and Storage

## Reconstitution:

Reconstitute the lyophilized protein in sterile deionized water. The product concentration should not be less than 100 μg/mL. Before opening, centrifuge the tube to collect powder at the bottom. After adding the reconstitution buffer, avoid vortexing or pipetting for mixing.

## Stability &amp; Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

## Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

## Protein Background

## A DRUG SCREENING EXPERT

---

Required for the control of apoptosis during postnatal growth. Essential for proteolytic processing of an antiapoptotic form of OPA1 which prevents the release of mitochondrial cytochrome c in response to intrinsic apoptotic signals. Required for the maturation of PINK1 into its 52kDa mature form after its cleavage by mitochondrial-processing peptidase (MPP). Promotes changes in mitochondria morphology regulated by phosphorylation of P-beta domain.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481