

## Zyxin Protein, Human, Recombinant (His)

### General Information

Synonyms: Zyxin;ZYX;Zyxin-2

Protein Construction: 2-572 aa

Species: Human

Expression Host: HEK293 Cells

Accession: Q15942

Molecular Weight: 65.1 kDa (predicted)

AA Sequence: AAPRPSPAISVSVSAPAFYAPQKKFGPVVAPKPKVNPFRPGDSEPPPAPGAQRAQMGRVGEIPPPPPEDFPL  
PPPPLAGDGDDEAGALGGAFPPPPPIIEESFPPAPLEEEIFSPPPPPPEEEGGPEAPIPPPPQPREKVSSIDLEID  
SLSSLLDDMTKNDPFKARVSSGYVPPPVPATPFSSKSSTKPAAGGTAPLPPWKSPSSSQPLPQVPAPAQSQTQ  
FHVQPQPQPKPQVQLHVQSQTQPVSLANTQPRGPPASSPAPAPKFSVTPKFTPVASKFSPGAPGGSGSQP  
NQKLGHPPEALSAGTGSPQPPSFTYAQQREKPRVQEKQHPVPPPAQNQNQVRSPPGAPGPLTLKEVEELEQLT  
QQLMQDMEHPQRQNVAVNELCGRCHQPLARAQPAVRALGQLFHIACTCHQCAQQLQGQQFYSLEGAPY  
CEGCYDTTLEKNTCGEPITDRMLRATGKAYHPHCFTCVVCARPLEGTSFIVDQANRPHCVDPYHKQYAPRCS  
VCSEPIPEPGRDETVRVVALDKNFHMKCYKCEDCGKPLSIEADDNGCFPLDGHVLCRKCHTARAQT

### QC Testing

Biological Activity: Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.

Purity: > 90% as determined by SDS-PAGE.

Endotoxin: < 1.0 EU/μg of the protein as determined by the LAL method.

Formulation: Tris-based buffer, 50% glycerol

### Preparation and Storage

Reconstitution:

A Certificate of Analysis (CoA) containing reconstitution instructions is included with the products. Please refer to the CoA for detailed information.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

### Protein Background

## A DRUG SCREENING EXPERT

---

Adhesion plaque protein. Binds alpha-actinin and the CRP protein. Important for targeting TES and ENA/VASP family members to focal adhesions and for the formation of actin-rich structures. May be a component of a signal transduction pathway that mediates adhesion-stimulated changes in gene expression.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481