

Tau Protein, Mouse, Recombinant (His)

General Information

Synonyms:	Paired helical filament-tau (PHF-tau);Neurofibrillary tangle protein;Microtubule-associated protein tau;Tau;Mapt;Mtapt
Protein Construction:	2-733 aa
Species:	Mouse
Expression Host:	HEK293 Cells
Accession:	P10637
Molecular Weight:	78.9 kDa (predicted)
AA Sequence:	ADPRQEFDTMEDHAGDYLLQDQEGDMDHGLKESPPQPPADDGAEPPGSETSDAKSTPTAEDVTAPLVDE RAPDKQAAAQPHTIEPEGITAEAEAGIGDTPNQEDQAAGHVTVQGRREGQAPDLGTSWTRQQVSSMSGAPLL PQGLREATCQPSGTRPEDIEKSHPASELLRRGPPQKEGWGQDRLGSEEEVDEDLTVDESSQDSPPSQASLTP GRAAPQAGSGSVCGETASVPGLPTEGSVPLPADFFSKVSAETQASQPEPGTGPMEEGHEAAPEFTFHVEIK ASTPKEQDLEGATVVGVPGEEQKAQTQGPSVGKGTKEASLQEPGKQPAAGLPGRVSRVPLKARVASKD RTGNDEKKAKTSTPSCAKAPSHRCLSPTRPTLGSSDPLIKPSSPAVSPEPATSPKHVSSVTPRNGSPGTKQM KLLGADGKTGAKIATPRGAASPAQKGTSNATRIPAKTTPSPKTPPGSGEPPKSGERSGYSSPGSPGTPGSRSR TPSLPTPPTREPKKVAVVRTPPKSPSASKSRLQTAPVMPDLKNVRSKIGSTENLKHQPGGGKVQIINKKLDLS NVQSKCGSKDNIKHVPGGGSVQIVYKPVDSLKVTSKCGSLGNIHHKPGGGQVEVKSEKLDKDRVQSKIGSL DNITHVPGGGNKKIETHKLTFRENAKAKTDHGAEIVYKSPVSGDTSRHLNSVSTGSIDMVDSPQLATLAD EVSASLAKQGL

QC Testing

Biological Activity:	Measured by its binding ability in a functional ELISA. Immobilized Mouse Mapt at 2 µg/mL can bind anti-MAPT recombinant antibody,the EC 50 is 436.1-518.6 ng/mL.
Purity:	> 90% as determined by SDS-PAGE.
Endotoxin:	< 1.0 EU/µg of the protein as determined by the LAL method.
Formulation:	Lyophilized from a solution filtered through a 0.22 µm filter, containing 20 mM Tris-HCl, 0.5 M NaCl, 6% Trehalose, pH 8.0

Preparation and Storage

Reconstitution:

Reconstitute the lyophilized protein in sterile deionized water. The product concentration should not be less than 100 µg/mL. Before opening, centrifuge the tube to collect powder at the bottom. After adding the reconstitution buffer, avoid vortexing or pipetting for mixing.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Protein Background

Promotes microtubule assembly and stability, and might be involved in the establishment and maintenance of neuronal polarity. The C-terminus binds axonal microtubules while the N-terminus binds neural plasma membrane components, suggesting that tau functions as a linker protein between both. Axonal polarity is predetermined by tau localization (in the neuronal cell) in the domain of the cell body defined by the centrosome. The short isoforms allow plasticity of the cytoskeleton whereas the longer isoforms may preferentially play a role in its stabilization.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481