

SOCS1 Protein, Mouse, Recombinant (His & Myc)

General Information

Synonyms:	STAT-induced STAT inhibitor 1 (SSI-1);Socs1;Suppressor of cytokine signaling 1;JAK-binding protein (JAB);Ssi1;Cish1;SOCS-1
Protein Construction:	1-212 aa
Species:	Mouse
Expression Host:	E. coli
Accession:	O35716
Molecular Weight:	28.7 kDa (predicted)
AA Sequence:	MVARNQVAADNAISPAAEPRRRSEPSSSSSSSSPAAPVRPRPCPAVPAPAPGDTHFRFRSHSDYRRITRTSALLDACGFYWGPLSVHGAHERLRAEPVGTFLVRDSRQRNCFALSVKMASGPTSIRVHFQAGRFLDGSRETFDCLFELLEHYVAAPRRMLGAPLRQRRVRPLQELCRQRIVAAVGRENLARIPLNPLRDLSSFFPQI

QC Testing

Biological Activity:	Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.
Purity:	> 85% as determined by SDS-PAGE.
Endotoxin:	< 1.0 EU/μg of the protein as determined by the LAL method.
Formulation:	Tris-based buffer, 50% glycerol

Preparation and Storage

Reconstitution:

A Certificate of Analysis (CoA) containing reconstitution instructions is included with the products. Please refer to the CoA for detailed information.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Protein Background

SOCS family proteins form part of a classical negative feedback system that regulates cytokine signal transduction. SOCS1 is involved in negative regulation of cytokines that signal through the JAK/STAT pathway. Through binding to JAKs and IFNGR1, inhibits their kinase activity. In vitro, also suppresses Tec protein-tyrosine activity. Appears to be a major regulator of signaling by interleukin 6 (IL6) and leukemia inhibitory factor (LIF). Regulates interferon-

A DRUG SCREENING EXPERT

gamma (IFNG) mediated sensory neuron survival. Probable substrate recognition component of an ECS (Elongin BC-CUL2/5-SOCS-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins. Seems to recognize JAK2. SOCS1 appears to be a negative regulator in IGF1R signaling pathway.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481