

NPR3 Protein, Rat, Recombinant (His & SUMO)

General Information

Synonyms:	Npr3;Npr-c;Atrial natriuretic peptide clearance receptor;Atrial natriuretic peptide receptor type C (ANP-C;ANPR-C;NPR-C);Atrial natriuretic peptide receptor 3
Protein Construction:	41-477 aa
Species:	Rat
Expression Host:	E. coli
Accession:	P41740
Molecular Weight:	64.9 kDa (predicted)
AA Sequence:	EALAAQKIEVLVLLPRDDSYLFSLARVRPAIEYALRSVEGNGTGRKLLPPGTRFQVAYEDSDCGNRALFSLVDR VAAARGAKPDLILGPVCEYAAAPVARLASHWDLPMLSAGALAAGFQHKDTEYSHLTRVAPAYAKMGEMML ALFRHHHSRAALLYSDDKLERNCYFTLEGVHEVFQEEGLHTSAYNFDETKDLDDIVRYIQGSERVVIMCA SGDTIRRIMLAVHRHGMTSGDYAFFNIELFNSSSYGDGSKWRGDKHDFEAKQAYSSLQTVTLRTAKPEFEKF SMEVKSSVEKQGLNEEDYVNMVFEGFHDAILLYVLALHEVL RAGYSKKDGGKIIQQTWNRTFEGIAGQV SIDA NGDRYGDFSVMAMTDTEAGTQEVIGDYFGKEGRFKMRSNVKYPWGSLKLRIDETRIVEHTNSSPCKSCGLEES A

QC Testing

Biological Activity:	Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.
Purity:	> 90% as determined by SDS-PAGE.
Endotoxin:	< 1.0 EU/μg of the protein as determined by the LAL method.
Formulation:	Tris-based buffer, 50% glycerol

Preparation and Storage

Reconstitution:

A Certificate of Analysis (CoA) containing reconstitution instructions is included with the products. Please refer to the CoA for detailed information.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Protein Background

A DRUG SCREENING EXPERT

Receptor for the natriuretic peptide hormones, binding with similar affinities atrial natriuretic peptide NPPA/ANP, brain natriuretic peptide NPPB/BNP, and C-type natriuretic peptide NPPC/CNP. May function as a clearance receptor for NPPA, NPPB and NPPC, regulating their local concentrations and effects. May regulate diuresis, blood pressure and skeletal development. Does not have guanylate cyclase activity.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481