

VSIV (strain Glasgow) Matrix Protein (His)

General Information

Synonyms: M protein;Matrix protein

Protein Construction: 1-237 aa

Species: VSIV

Expression Host: E. coli

Accession: P04876

Molecular Weight: 30.8 kDa (predicted)

AA Sequence: MSSLKKILGLKGGKSKKGLGIAPPPYEEDTSMEYAPSAPIDKSYFGVDEMDTHDPNQLRYEKSFFTVKMTVR
SNRPFRTYSDVAAAVSHWDHMYIGMAGKRPFYKILAFGLSSNLKATPAVLADQGQPEYHAHCEGRAYLPHR
MGKTPPMLNVPEHFRRPFNIGLYKGTIELTMTIYDDESLEAAPMIWDHFNSSKFSDFREKALMFGLIVEEEEASG
AWVLDSVRHSKWASLASSF

QC Testing

Biological Activity: Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.

Purity: > 85% as determined by SDS-PAGE.

Endotoxin: < 1.0 EU/μg of the protein as determined by the LAL method.

Formulation: Tris-based buffer, 50% glycerol

Preparation and Storage

Reconstitution:

A Certificate of Analysis (CoA) containing reconstitution instructions is included with the products. Please refer to the CoA for detailed information.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Protein Background

Plays a major role in assembly and budding of virion, by recruiting cellular partners of the ESCRT complexes that play a key role in releasing the budding particle from the host membrane. Condensates the ribonucleocapsid core during virus assembly.; Inhibits mRNA nuclear export through direct interaction with host RAE1-NUP98 complex, thereby preventing interferon signaling and establishment of antiviral state in infected cells. Induces cell-

A DRUG SCREENING EXPERT

rounding, cytoskeleton disorganization and apoptosis in infected cell. Inhibits host transcription, possibly through interaction with host DNA repair factor IIH/TFIIH GTF2H5 subunit.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481