

Anti-CD71 Monoclonal Antibody

Product Details

Ig Type:	Rabbit monoclonal IgG
Reactivity:	Human
Conjugation:	Unconjugated
Molecular Weight:	150 kDa
Purification:	Protein A Affinity Purified

Applications

Verified Activity:	Flow cytometry analysis of Jurkat cells with TMAZ-0133BI, followed by goat anti-rabbit IgG-ABflo 647 (red). The isotype control is rabbit IgG (black line).
Application:	ELISA,FCM
Recommended	0.1-0.2 µg/10E6 cells for FCM; 1 ng/µl for ELISA

Properties

Purity:	> 95% as determined by SDS-PAGE.
Stability & Storage:	Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles.
Shipping:	Shipping with blue ice.

Antigen Details

Immunogen:	CD71
Antigen Species:	Human
Gene ID:	7037
Uniprot ID:	P02786
Synonyms:	Transferrin receptor protein 1;T9;p90
Biology Area:	Cancer Research

Research Background

Cellular uptake of iron occurs via receptor-mediated endocytosis of ligand-occupied transferrin receptor into specialized endosomes (PubMed: 26214738). Endosomal acidification leads to iron release. The apotransferrin-receptor complex is then recycled to the cell surface with a return to neutral pH and the concomitant loss of affinity of apotransferrin for its receptor. Transferrin receptor is necessary for development of erythrocytes and the nervous system (By similarity). A second ligand, the hereditary hemochromatosis protein HFE, competes for binding with transferrin for an overlapping C-terminal binding site. Positively regulates T and B cell proliferation through iron uptake (PubMed: 26642240). Acts as a lipid sensor that regulates mitochondrial fusion by regulating activation of the JNK pathway (PubMed: 26214738). When dietary levels of stearate (C18: 0) are low, promotes activation of the JNK pathway, resulting in HUWE1-mediated ubiquitination and subsequent degradation of the mitofusin MFN2 and inhibition of mitochondrial fusion (PubMed: 26214738). When dietary levels of stearate (C18: 0) are high, TFRC stearoylation inhibits activation of the JNK pathway and thus degradation of the mitofusin MFN2 (PubMed: 26214738)(Microbial infection) Acts as a receptor for new-world arenaviruses: Guanarito, Junin and Machupo virus

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481

Anti-CD71 Monoclonal Antibody

Product Details

Molecular Weight: 150 kDa

Properties

Antigen Details

Synonyms: Transferrin receptor protein 1;T9;p90

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481