


## Propargyl-PEG10-acid

## Chemical Properties

CAS No. : 2055022-18-7

Formula: C<sub>24</sub>H<sub>44</sub>O<sub>12</sub>

Molecular Weight: 524.6



Keep away from direct sunlight

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Actual storage temperature shall be subject to the COA.

## Biological Description

Description	Propargyl-PEG10-acid, a PEG-based linker for PROTACs, facilitates the formation of PROTAC molecules by joining two essential ligands. This linker enables selective protein degradation by leveraging the ubiquitin-proteasome system within cells.
Targets(IC50)	Others,PROTAC Linker
In vitro	PROTACs consist of two distinct ligands joined by a linker; one ligand targets an E3 ubiquitin ligase, while the other binds to the target protein. They utilize the intracellular ubiquitin-proteasome system to selectively degrade target proteins [1].

## Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	1.9062 mL	9.5311 mL	19.0621 mL
5 mM	0.3812 mL	1.9062 mL	3.8124 mL
10 mM	0.1906 mL	0.9531 mL	1.9062 mL
50 mM	0.0381 mL	0.1906 mL	0.3812 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

## Reference

An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481