

## Anti-IL-3R alpha/CD123 Antibody (3M211)

### Product Details

Ig Type:	Rabbit IgG
Reactivity:	Human
Conjugation:	Unconjugated
Clone:	3M211
Purification:	Protein A

### Applications

Verified Activity:	<p>1. Anti-IL3RA rabbit monoclonal antibody at 1:500 dilution.</p> <ul style="list-style-type: none"><li>-Lane A: Hela Whole Cell lysate.</li><li>-Lysates/proteins at 30 µg per lane.</li><li>-Secondary</li><li>-Goat Anti-Rabbit IgG H&amp;L (Dylight800) at 1/10000 dilution.</li><li>-Developed using the Odyssey technique.</li><li>-Performed under reducing conditions.</li><li>-Predicted band size:43 kDa.</li><li>-Observed band size:38 kDa.</li></ul> <p>2. IL3RA was immunoprecipitated using:</p> <ul style="list-style-type: none"><li>-Lane A:0.5 mg Hela Whole Cell Lysate.</li><li>-Lane B:0.5 mg MCF-7 Whole Cell Lysate</li><li>-0.5 µL anti-IL3RA rabbit monoclonal antibody and 15 µl of 50 % Protein G agarose.</li><li>-Primary antibody:</li><li>-Anti-IL3RA rabbit monoclonal antibody, at 1:350 dilution.</li><li>-Secondary antibody:</li><li>-Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution.</li><li>-Developed using the odyssey technique.</li><li>-Performed under reducing conditions.</li><li>-Predicted band size: 43 kDa.</li><li>-Observed band size: 38 kDa</li></ul>
Application:	ELISA,IP,WB
Recommended	WB: 1:500-1:1000; ELISA: 1:25000-1:50000; IP: 0.2-1 µL/mg of lysate

### Properties

Stability & Storage:	Store at 2°C-8°C for 1 month. Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles. Preservative-Free.
Shipping:	Shipping with blue ice.

### Antigen Details

Immunogen: Recombinant Protein: Human IL3RA protein (TMPY-01410)  
Antigen Species: Human  
Synonyms: interleukin 3 receptor, alpha (low affinity);IL3RAY;CD123;IL3RX;IL3R;hIL-3Ra;IL3RY;IL-3R  
 $\alpha$ /CD123;interleukin 3 receptor,  $\alpha$  (low affinity)

---

### Research Background

Interleukin-3 receptor subunit alpha, also known as IL-3 receptor subunit alpha, IL-3R-alpha, CD123, and IL3RA, is a single-pass type I membrane protein that belongs to the type I cytokine receptor family and Type 5 subfamily. The specific alpha subunit of the interleukin-3 receptor (IL-3Ralpha, CD123) is strongly expressed in various leukemic blasts and leukemic stem cells and seems to be an excellent target for the therapy of leukemias. The WSXWS motif of IL3RA appears to be necessary for proper protein folding and thereby efficient intracellular transport and cell-surface receptor binding. The box one motif of IL3RA is required for JAK interaction and/or activation. IL3RA represents a unique marker for primitive leukemic stem cells. Targeting of IL3RA may be a promising strategy for the preferential ablation of AML cells. Aberrant IL3RA expression is a good marker for monitoring of minimal residual disease. IL3RA is strongly expressed in various leukemic blasts and leukemic stem cells and seems to be an excellent target for the therapy of leukemias. Recent studies have shown that interleukin-3 receptor alpha (CD123) is highly expressed on leukemia stem cells of patients with acute myeloid leukemia, and is correlated with tumor load and poor prognosis. CD123 was highly expressed in the bone marrow of the patients with myelodysplastic syndrome (MDS), significantly correlated with the proportion of bone marrow blasts, and thus might be the marker of MDS malignant clone. IL3RA is also a useful new marker for distinguishing B-cell disorders with circulating villous lymphocytes as its expression is characteristic of typical hairy cell leukemia (HCL) with high sensitivity and specificity.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481