

NKG2D/CD314 Protein, Pig, Recombinant (mFc)

General Information

Synonyms:	NKG2-D type II integral membrane protein;CD314;Killer cell lectin-like receptor subfamily K member 1;NKG2-D-activating NK receptor;NK cell receptor D;NKG2D;KLRK1
Protein Construction:	78-214 aa
Species:	Pig
Expression Host:	HEK293 Cells
Accession:	Q9GLF5
Molecular Weight:	17.2 kDa (Predicted)
AA Sequence:	NLLFNQEAPSPLKESYCGPCPNWICYRNSCYQFSNESKTLWLSQASCRSQNSSLLKIYSREDQDFFLVKSY HWMGLVQIPTNRSWQWEDGSILSPNQITMVEMQNGSCAVYGSSFKGYTENCLTLNTYICMKRTV

QC Testing

Biological Activity:	Activity has not been tested. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first.
Purity:	> 95% as determined by SDS-PAGE.
Endotoxin:	Not tested.
Formulation:	Lyophilized from PBS, 6% Trehalose, pH 7.4

Preparation and Storage

Reconstitution:

Reconstitute the lyophilized protein in distilled water. The product concentration should not be less than 100 µg/ml. Before opening, centrifuge the tube to collect powder at the bottom. After adding the reconstitution buffer, avoid vortexing or pipetting for mixing.

Stability & Storage:

Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 83 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481