

Anti-BCMA/TNFRSF17 Polyclonal Antibody

Product Details

Ig Type:	IgG
Reactivity:	Mouse,Rat
Molecular Weight:	Theoretical: 20 kDa. Actual: 27 kDa.
Purification:	Protein A purified

Applications

Sample:

Lane 1: Spleen (Mouse) Lysate at 40 µg
Lane 2: LymphNode (Mouse) Lysate at 40 µg
Lane 3: Spleen (Rat) Lysate at 40 µg

Verified Activity:


Primary:

Anti-BCMA (TMAB-00203) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 25 kDa

Observed band size: 27 kDa



Application: WB

Recommended WB: 1:500-2000

Properties

Stability & Storage: Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles.

Shipping: Shipping with blue ice.

Antigen Details

Immunogen: KLH conjugated synthetic peptide: mouse BCMA

Antigen Species: Mouse

Synonyms: TNFRSF13A;BCMA;tumor necrosis factor receptor superfamily member 17;CD269;BCM

Biology Area: TNF,Antiviral Signaling,TNF

Research Background

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is preferentially expressed in mature B lymphocytes, and may be important for B cell development and autoimmune response. This receptor has been shown to specifically bind to the tumor necrosis factor (ligand) superfamily, member 13b

A DRUG SCREENING EXPERT

(TNFSF13B/TALL-1/BAFF), and to lead to NF-kappaB and MAPK8/JNK activation. This receptor also binds to various TRAF family members, and thus may transduce signals for cell survival and proliferation. [provided by RefSeq].

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481