

## Anti-SARS-CoV-2 (2019-nCoV) Nucleocapsid, WT & Ormicron Recognized Antibody (8M778)

### Product Details

Ig Type:	IgG1
Reactivity:	SARS-CoV-2
Molecular Weight:	Theoretical: 46 kDa. Actual: 46-50 kDa.
Clone:	8M778
Purification:	Protein A purified

### Applications

#### 1. Sample:

Lane 1: Recombinant SARS-CoV-2 N protein (WT) (His Tag)

Lane 2: Recombinant SARS-CoV-2 N protein (Q9H, P67S, P80R, P151L, S183Y) (His Tag)

Lane 3: Recombinant SARS-CoV-2 N protein (D3L, P13T, D103Y, D128Y, H145Y, R203K, G204R, T205I, S235F) (His Tag)

Lane 4: Recombinant SARS-CoV-2 N protein (Del204, Del215) (His Tag)

Lane 5: Recombinant SARS-Cov-2 N protein (R203M, D377Y) (His Tag)

Lane 6: Recombinant SARS-Cov-2 (Omicron, B.1.1.529) N protein (P13L, E31del, R32del, S33del, R203K, G204R) (N-His Tag)

Primary: Anti-SARS-CoV-2 (2019-nCoV) nucleocapsid, WT & Ormicron Recognized (TMAB-01658) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Mouse IgG at 1/20000 dilution

Predicted band size: 46 kDa

Observed band size: 50 kDa

#### 2. Sample:

Lane 1: SARS-CoV-2 N protein (WT) at 10ng

Lane 2: SARS-CoV-2 N protein (Q9H, P67S, P80R, P151L, S183Y) at 2ng

Lane 3: SARS-CoV-2 N protein (D3L, P13T, D103Y, D128Y, H145Y, R203K, G204R, T205I, S235F) at 2ng

Lane 4: SARS-CoV-2 N protein (Del204 & Del215) at 2ng

Lane 5: SARS-CoV-2 N protein (R203M & D377Y) at 2ng

Primary: Anti-SARS-CoV-2 N protein at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Mouse IgG at 1/20000 dilution

Predicted band size: 46 kDa

Observed band size: 46 kDa

#### 3. Sample:

Lane 1: Recombinant SARS-CoV-2 N Protein (Omicron (B.1.1.529) (P13L, E31del, R32del, S33del, R203K, G204R) at 100ng

Lane 2: Recombinant SARS-CoV-2 N Protein (Omicron (B.1.1.529) (P13L, E31del, R32del, S33del, R203K, G204R) at 50ng




Lane 3: Recombinant SARS-CoV-2 N Protein (Omicron (B.1.1.529) (P13L, E31del, R32del, S33del, R203K, G204R) at 25ng

Lane 4: Recombinant SARS-CoV-2 N Protein (Omicron (B.1.1.529) (P13L, E31del, R32del, S33del, R203K, G204R) at 10ng

Lane 5: Recombinant SARS-CoV-2 N Protein (Omicron (B.1.1.529) (P13L, E31del, R32del, S33del, R203K, G204R) at 5ng

#### Verified Activity:

Lane 6: Recombinant SARS-CoV-2 N Protein (WT) at 10ng  
 Primary: Mouse Anti-SARS-CoV-2 N protein (TMAB-01658) at 1/1000 dilution  
 Secondary: IRDye800CW Goat Anti-Mouse IgG at 1/20000 dilution  
 Predicted band size:45.3 kDa  
 Observed band size:50 kD



Application: ELISA,WB  
 Recommended ELISA=1:5000-10000; WB=1:500-2000

**Properties**

Stability & Storage: Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles.  
 Shipping: Shipping with blue ice.

**Antigen Details**

Immunogen: Recombinant Protein: SARS-CoV-2 Nucleocapsid Protein  
 Antigen Species: SARS-CoV-2  
 Uniprot ID: P0DTC9  
 novel coronavirus N Protein;2019-nCoV N;SARS-CoV-2 NP;2019nCoV N;nucleocapsid protein [Severe acute respiratory syndrome coronavirus 2];2019 nCoV N Protein;SARS-CoV-2  
 Synonyms: Nucleocapsid Protein;2019-nCoV N Protein;novel coronavirus Nucleocapsid Protein;Ormicron N Protein;2019-nCoV Nucleoprotein;2019-nCoV nucleocapsid protein;Ormicron mutant;Ormicron Nucleocapsid Protein  
 Biology Area: SARS Coronavirus

**Research Background**

The SARS-CoV-2 spike (S) protein is the target of vaccine design efforts to end the COVID-19 pandemic. Despite a low

mutation rate, isolates with the D614G substitution in the S protein appeared early during the pandemic, and are now the dominant form worldwide. Here, we analyze the D614G mutation in the context of a soluble S ectodomain construct.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel: 781-999-4286    E\_mail: [info@targetmol.com](mailto:info@targetmol.com)    Address: 34 Washington Street, Wellesley Hills, MA 02481