

Anti-VAMP1 Antibody (9I639)



Product Details





Ig Type:	IgG
Reactivity:	Human,Mouse,Rat
Conjugation:	Unconjugated
Molecular Weight:	Theoretical: 13 kDa.
Clone:	9I639
Purification:	ProA affinity purified

Applications

Verified Activity:

1. Western blot analysis of VAMP1 on different tissue lysates using anti-VAMP1 antibody at 1/2,000 dilution. Positive control: Lane 1: Mouse cerebellum, Lane 2: Rat brain.
2. Immunohistochemical analysis of paraffin-embedded human prostate cancer tissue using anti-VAMP1 antibody. Counter stained with hematoxylin.
3. Immunohistochemical analysis of paraffin-embedded mouse brain tissue using anti-VAMP1 antibody. Counter stained with hematoxylin.
4. ICC staining VAMP1 in 293T cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.
5. ICC staining VAMP1 in Hela cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.
6. ICC staining VAMP1 in SH-SY-5Y cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.





Application: ICC,IF,IHC,WB
Recommended WB: 1:500-2000; IHC: 1:50-200; ICC:IF: 1:50-200

Properties

Stability & Storage: Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles.

Shipping: Shipping with blue ice.

Antigen Details

Immunogen: Recombinant Protein: Full length of human VAMP1

Antigen Species: human

Uniprot ID: P23763

Synonyms: VAMP1_HUMAN; Vesicle associated membrane protein 1 synaptobrevin 1; Synaptobrevin1; VAMP 1; Vesicle-associated membrane protein 1; DKFZp686H12131; SYB 1; Vesicle associated membrane protein 1; Synaptobrevin 1; SYB1; Synaptobrevin-1

Research Background

Synaptobrevins/VAMPs, syntaxins, and the 25-kD synaptosomal-associated protein SNAP25 are the main components of a protein complex involved in the docking and/or fusion of synaptic vesicles with the presynaptic

membrane. VAMP1 is a member of the vesicle-associated membrane protein (VAMP)/synaptobrevin family. Multiple alternative splice variants that encode proteins with alternative carboxy ends have been described, but the full-length nature of some variants has not been defined.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481