


RSL3

Chemical Properties

CAS No. :	1219810-16-8
Formula:	C ₂₃ H ₂₁ ClN ₂ O ₅
Molecular Weight:	440.88
Storage:	Store at low temperature Powder: -20°C for 3 years In solvent: -80°C for 1 year <i>Actual storage temperature shall be subject to the COA.</i>



Biological Description

Description	RSL3 (RSL3 1S) is an inhibitor of GPX4, and inhibits system xc- that blocks GSH synthesis (IC ₅₀ =100 nM). RSL3 is a VDAC-independent activator of ferroptosis that is selective for tumor cells carrying oncogenic RAS.
Targets(IC ₅₀)	Ferroptosis, Reactive Oxygen Species, Glutathione Peroxidase, GPX, ROS, p62
In vitro	<p>METHODS: Human hepatocellular carcinoma cells HepG2, HA22T/VGH were treated with RSL3 (0.1-10 μM) for 72 h, and cell growth inhibition was detected by MTT.</p> <p>RESULTS: RSL3 dose-dependently inhibited the growth of HepG2 and HA22T/VGH cells, with an IC₅₀ of about 0.07 μM for HepG2 cells and 0.3 μM for HA22T/VGH cells. [1]</p> <p>METHODS: Human glioblastoma cells U87 and U251 were treated with RSL3 (0.25 μM and 0.5 μM) for 24 h, and the expression levels of target proteins were detected by Western Blot.</p> <p>RESULTS: RSL3 treatment induced a decrease in the expression of ferroptosis-related proteins GPX4, ATF4 and xCT, and an up-regulation in the expression of HO-1 in U87 and U251 cells. [2]</p> <p>METHODS: Human colorectal cancer cells HCT116 and LoVo were treated with RSL3 (3 μM) for 24 h. Labile iron pool (LIP) and ROS intracellular levels were analyzed by Flow Cytometry.</p> <p>RESULTS: RSL3 promoted the increase of LIP and accumulation of ROS associated with ferroptosis. [3]</p>
In vivo	<p>METHODS: To test the antitumor activity in vivo, RSL3 (100 mg/kg in 20 μL DMSO plus 80 μL corn oil) was intraperitoneally injected into NSG mice bearing human prostate cancer tumors DU145 or PC3 twice a week for sixteen days.</p> <p>RESULTS: RSL3 treatment significantly inhibited the growth of human prostate cancer tumors, indicating antitumor activity in vivo. [4]</p> <p>METHODS: To detect anti-tumor activity in vivo, RSL3 (1 mg/kg) and cetuximab (13 mg/kg) were intraperitoneally injected once a week for sixteen days into BALB/c nude mice harboring KRAS-mutant human colorectal cancer tumor DLD-1.</p> <p>RESULTS: RSL3 treatment significantly inhibited the growth of KRAS-mutant tumors. Cetuximab enhanced RSL3-induced ferroptosis by activating p38 MAPK and inhibiting the Nrf2/HO-1 axis, which further inhibited tumor growth. [5]</p>
Cell Research	TERT/LT/ST/RASV12 cells are seeded in 10 cm dishes and treated with 1 μM staurosporine, 10 μg/ml erastin, 20 μg/ml RSL5, and 1 μg/ml RSL3 for 16 hr. Both dying

A DRUG SCREENING EXPERT

Cell Research	cells and live cells in each 10 cm dish are harvested and collected in the same 15 ml tubes by centrifuging cell suspension at 1000 rpm for 5 min. (Only for Reference)
---------------	---

Solubility Information

Solubility	DMSO: 240 mg/mL (544.37 mM),Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
In vivo Formulation	10% DMSO+40% PEG300+5% Tween 80+45% Saline: 4.41 mg/mL (10 mM),Solution. <i>Please add the solvents sequentially, clarifying the solution as much as possible before adding the next one. Dissolve by heating and/or sonication if necessary. Working solution is recommended to be prepared and used immediately. The formulation provided above is for reference purposes only. In vivo formulations may vary and should be modified based on specific experimental conditions.</i>

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.2682 mL	11.341 mL	22.6819 mL
5 mM	0.4536 mL	2.2682 mL	4.5364 mL
10 mM	0.2268 mL	1.1341 mL	2.2682 mL
50 mM	0.0454 mL	0.2268 mL	0.4536 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

- Asperti M, et al. H-ferritin suppression and pronounced mitochondrial respiration make Hepatocellular Carcinoma cells sensitive to RSL3-induced ferroptosis. *Free Radic Biol Med.* 2021 Jun;169:294-303.
- Hu G, Cui Z, Chen X, et al. Suppressing Mesenchymal Stromal Cell Ferroptosis Via Targeting a Metabolism-Epigenetics Axis Corrects their Poor Retention and Insufficient Healing Benefits in the Injured Liver Milieu. *Advanced Science.* 2023: 2206439.
- Jiang X, Teng X, Shi H, et al. Discovery and optimization of olanzapine derivatives as new ferroptosis inhibitors. *Bioorganic Chemistry.* 2023: 106393.
- Liu J, Meng F, Lv J, et al. Comprehensive Monitoring of Mitochondrial Viscosity Variation during Different Cell Death Processes by a NIR Mitochondria-targeting Fluorescence Probe. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy.* 2023: 122602.
- Li Y, Bao Y, Li Y, et al. RSL3 Inhibits Porcine Epidemic Diarrhea Virus Replication by Activating Ferroptosis. *Viruses.* 2023, 15(10): 2080.
- Shi H, Jiang X, Cao L, et al. Chemical constituents of *Ajuga forrestii* and their anti-ferroptosis activity. *Fitoterapia.* 2023: 105461.
- Li P, Lin Q, Sun S, et al. Inhibition of cannabinoid receptor type 1 sensitizes triple-negative breast cancer cells to ferroptosis via regulating fatty acid metabolism. *Cell Death & Disease.* 2022, 13(9): 1-15.
- Peng, Xing, et al. Discovery of phloroglucinols from *Hypericum japonicum* as ferroptosis inhibitors. *Fitoterapia.* (2021): 104984.
- Zhang H, Shan G, Jin X, et al. ARNTL2 is an indicator of poor prognosis, promotes epithelial-to-mesenchymal transition and inhibits ferroptosis in lung adenocarcinoma. *Translational Oncology.* 2022, 26: 101562.
- Peng X, Tan Q, Wu L, et al. Ferroptosis Inhibitory Aromatic Abietane Diterpenoids from *Ajuga decumbens* and Structural Revision of Two 3, 4-Epoxy Group-Containing Abietanes. *Journal of Natural Products.* 2022
- Wang F, Liu Y, Ni F, et al. BNC1 deficiency-triggered ferroptosis through the NF2-YAP pathway induces primary ovarian insufficiency. *Nature Communications.* 2022, 13(1): 1-17.
- Li W, Luo L X, Zhou Q Q, et al. Phospholipid peroxidation inhibits autophagy via stimulating the delipidation of oxidized LC3-PE. *Redox Biology.* 2022: 102421.
- Li S, et al. RSL3 Drives Ferroptosis through NF- κ B Pathway Activation and GPX4 Depletion in Glioblastoma. *Oxid Med Cell Longev.* 2021 Dec 26;2021:2915019.
- Feng Y, Luo X, Li Z, et al. A ferroptosis-targeting ceria anchored halloysite as orally drug delivery system for radiation colitis therapy. *Nature Communications.* 2023, 14(1): 5083.
- Ning X, Qi H, Yuan Y, et al. Identification of a new small molecule that initiates ferroptosis in cancer cells by inhibiting the system Xc- to deplete GSH. *European Journal of Pharmacology.* 2022: 175304.
- Fang Y, Tan Q, Zhou H, et al. Discovery and optimization of 2-(trifluoromethyl) benzimidazole derivatives as novel ferroptosis inducers in vitro and in vivo. *European Journal of Medicinal Chemistry.* 2022: 114905.
- Li H, Shi W, Li X, et al. Ferroptosis is Accompanied by \cdot OH Generation and Cytoplasmic Viscosity Increase Revealed via Dual-Functional Fluorescence Probe. *Journal of the American Chemical Society.* 2019
- Shan G, Bi G, Zhao G, et al. Inhibition of PKA/CREB1 pathway confers sensitivity to ferroptosis in non-small cell lung cancer. *Respiratory Research.* 2023, 24(1): 1-15.
- Cao Z, Liu X, Zhang W, et al. Biomimetic Macrophage Membrane-Camouflaged Nanoparticles Induce Ferroptosis by Promoting Mitochondrial Damage in Glioblastoma. *ACS nano.* 2023
- Teng X, Shi H, Cao L, et al. Chemical Constituents of *Ajuga lupulina* and Their Anti-ferroptosis Activity. *Chemistry & Biodiversity.* 2024: e202400244.
- Xu L, Wen B, Wu Q, et al. Long non-coding RNA KB-1460A1. 5 promotes ferroptosis by inhibiting mTOR/SREBP-1/SCD1-mediated polyunsaturated fatty acid desaturation in glioma. *Carcinogenesis.* 2024: bgae016.
- Bi G, Liang J, Bian Y, et al. Polyamine-mediated ferroptosis amplification acts as a targetable vulnerability in cancer. *Nature Communications.* 2024, 15(1): 2461.
- Huang Q, Ru Y, Luo Y, et al. Identification of a targeted ACSL4 inhibitor to treat ferroptosis-related diseases. *Science Advances.* 2024, 10(13): eadk1200.
- Lv S, Pan Q, Lu W, et al. Tenovin 3 induces apoptosis and ferroptosis in EGFR 19del non small cell lung cancer cells. *Scientific Reports.* 2024, 14(1): 7654.
- Bi G, Liang J, Shan G, et al. Retinol saturase mediates retinoid metabolism to impair a ferroptosis defense system in

cancer cells. *Cancer Research*.2023: CAN-22-3977.

Sui X, et al. RSL3 Drives Ferroptosis Through GPX4 Inactivation and ROS Production in Colorectal Cancer. *Front Pharmacol*. 2018 Nov 22;9:1371.

Ru Y, Luo Y, Liu D, et al. Isorhamnetin alleviates ferroptosis-mediated colitis by activating the NRF2/HO-1 pathway and chelating iron. *International Immunopharmacology*.2024, 135: 112318.

Zhao G, Liang J, Zhang Y, et al. MNT inhibits lung adenocarcinoma ferroptosis and chemosensitivity by suppressing SAT1. *Communications Biology*.2024, 7(1): 680.

Li Y Z, Deng J, Zhang X D, et al. Naringenin enhances the efficacy of ferroptosis inducers by attenuating aerobic glycolysis by activating the AMPK-PGC1 α signalling axis in liver cancer. *Heliyon*.2024

Liao W, Zhang R, Chen G, et al. Berberine synergises with ferroptosis inducer sensitizing NSCLC to ferroptosis in p53-dependent SLC7A11-GPX4 pathway. *Biomedicine & Pharmacotherapy*.2024, 176: 116832.

Zhou B, Jiang Z, Dai M, et al. Full-length GSDME mediates pyroptosis independent from cleavage. *Nature Cell Biology*.2024: 1-13.

Li Y, Wu W, Song Y, et al. β -Caryophyllene Confers Cardioprotection by Scavenging Radicals and Blocking Ferroptosis. *Journal of Agricultural and Food Chemistry*.2024

Bian Y, Shan G, Bi G, et al. Targeting ALDH1A1 to enhance the efficacy of KRAS-targeted therapy through ferroptosis. *Redox Biology*.2024: 103361.

Cao Y, Wang Y, Li Y, et al. Angelic acid triggers ferroptosis in colorectal cancer cells via targeting and impairing NRF2 protein stability. *Journal of Natural Medicines*.2024: 1-13.

Deng P, Silva M, Yang N, et al. Artemisinin inhibits neuronal ferroptosis in Alzheimer's disease models by targeting KEAP1. *Acta Pharmacologica Sinica*.2024: 1-12.

Xiong R, Liu H, Zhang S, et al. Integrating network pharmacology and experimental verification to reveal the ferroptosis-associated mechanism of Changpu-Yizhi-Wan in the treatment of Alzheimer's disease. *Metabolic Brain Disease*.2025, 40(1): 1-15.

Li Y, Yang W, Zheng Y, et al. Targeting fatty acid synthase modulates sensitivity of hepatocellular carcinoma to sorafenib via ferroptosis. *Journal of Experimental & Clinical Cancer Research*.2023, 42(1): 1-19.

Ghoochani A, et al. Ferroptosis Inducers Are a Novel Therapeutic Approach for Advanced Prostate Cancer. *Cancer Res*. 2021 Mar 15;81(6):1583-1594.

Luo X, Linghu M, Zhou X, et al. Merestinib inhibits cuproptosis by targeting NRF2 to alleviate acute liver injury. *Free Radical Biology and Medicine*.2025

Gao J, Ding Y, Gu Q. Chemical constituents and their anti-ferroptosis activities of *Ajuga bracteosa*. *Fitoterapia*.2025: 106444.

ZnO NPs delay the recovery of psoriasis-like skin lesions through promoting nuclear translocation of p-NF κ B p65 and cysteine deficiency in keratinocytes

In vivo vulnerabilities to GPX4 and HDAC inhibitors in drug-persistent versus drug-resistant BRAFV600E lung adenocarcinoma

Yang J, et al. Cetuximab promotes RSL3-induced ferroptosis by suppressing the Nrf2/HO-1 signalling pathway in KRAS mutant colorectal cancer. *Cell Death Dis*. 2021 Nov 13;12(11):1079.

Wang X, Ji Y, Qi J, et al. Mitochondrial carrier 1 (MTCH1) governs ferroptosis by triggering the FoxO1-GPX4 axis-mediated retrograde signaling in cervical cancer cells. *Cell Death & Disease*.2023, 14(8): 1-13.

Tan Q, Zhang X, Li S, et al. DMT1 differentially regulates mitochondrial complex activities to reduce glutathione loss and mitigate ferroptosis. *Free Radical Biology and Medicine*.2023

Zhao G, Liang J, Shan G, et al. KLF11 regulates lung adenocarcinoma ferroptosis and chemosensitivity by suppressing GPX4. *Communications Biology*.2023, 6(1): 570.

Bow Y D, Ko C C, Chang W T, et al. A novel quinoline derivative, DFIQ, sensitizes NSCLC cells to ferroptosis by promoting oxidative stress accompanied by autophagic dysfunction and mitochondrial damage. *Cancer Cell International*.2023, 23(1): 1-11.

Gartzke L P, Hendriks K D W, Hoogstra-Berends F, et al. Inhibition of Ferroptosis Enables Safe Rewarming of HEK293 Cells following Cooling in University of Wisconsin Cold Storage Solution. *International Journal of Molecular Sciences*.2023, 24(13): 10939.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481