

Goat Anti-Rabbit IgG H&L Secondary Antibody-Cy5




Product Details

Ig Type:	IgG
Reactivity:	Rabbit
Purification:	Affinity purified by Protein G, nonspecific adsorbed

Applications

1. Paraformaldehyde-fixed, paraffin embedded Rat brain; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with AKT1 Monoclonal Antibody, Unconjugated at 1:200 overnight at 4°C, followed by a Cy5 conjugated Goat Anti-Rabbit IgG (TMAB-02008C5) antibody at 37°C for 90 minutes, DAPI (blue) was used to stain the cell nuclei.
2. Paraformaldehyde-fixed, paraffin embedded Mouse brain; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with AKT1 Monoclonal Antibody, Unconjugated at 1:200 overnight at 4°C, followed by a Cy5 conjugated Goat Anti-Rabbit IgG (TMAB-02008C5) antibody at 37°C for 90 minutes, DAPI (blue) was used to stain the cell nuclei.
3. Paraformaldehyde-fixed, paraffin embedded Human Brain; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with AKT1 Monoclonal Antibody,

Verified Activity:



Application:	FCM,ICC/IF,IF
Recommended	IF: 1:100-1000; FCM: 1:100-1000; ICC/IF: 1:100-1000

Properties

Stability & Storage: Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles.

Shipping: Shipping with blue ice.

Antigen Details

Immunogen: Native Rabbit IgG

Synonyms: Immunoglobulin G;Goat Anti-Rabbit IgG H&L (Cy5)

Research Background

Immunoglobulin G (IgG), is one of the most abundant proteins in serum with normal levels between 8-17 mg/mL in adult blood. IgG is important for our defence against microorganisms and the molecules are produced by B lymphocytes as a part of our adaptive immune response. The IgG molecule has two separate functions; to bind to the pathogen that elicited the response and to recruit other cells and molecules to destroy the antigen. The variability of the IgG pool is generated by somatic recombination and the number of specificities in an individual at a given time point is estimated to be 1011 variants.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481