

Goat Anti-Human IgE Secondary Antibody-Biotin

Product Details

Ig Type:	IgG
Reactivity:	Human
Purification:	Protein G purified

Applications

Application:	ELISA,ICC/IF,IF,IHC-F,IHC-P,WB
Recommended	WB: 1:1000-20000; IHC-P: 1:100-1000; IHC-F: 1:100-1000; ELISA: 1:1000-20000; ICC/IF: 1:100-1000; IF: 1:100-1000; FCM: 1:100-1000

Properties

Stability & Storage:	Store at 2°C-8°C for 1 month. Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles.
Shipping:	Shipping with blue ice.

Antigen Details

Immunogen:	Human IgE antibody was raised in goat using human myeloma IgE as the immunogen
Synonyms:	Specificity: Human IgE; Polyclonal Human IgE antibody; Immunoglobulin E antibody; anti-Human IgE antibody

Research Background

IgE is the least abundant immunoglobulin in plasma, found at a concentration of less than 0.6 micrograms/ml of normal plasma. Elevated IgE levels are found in patients experiencing severe allergic reactions and parasitic infections. In a myeloma condition, IgE is produced by a single clone of plasma cells. The structure of myeloma IgE, however, is normal, and the immunoglobulin purified from a myeloma source is a useful protein for studying immunoglobulin behavior. The affinity purified IgE reacted only with anti IgE and not with anti IgG, IgA, IgM or IgD by immunodiffusion and IEP techniques. Prepared from myeloma plasma shown to be non reactive for HbsAG, anti-HCV, anti-HBc, and negative for anti-HIV 1 & 2 by FDA approved tests.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481