

Anti-BOB1 Antibody (6F185)

Product Details

| | |
|-------------------|----------------------|
| Ig Type: | IgG |
| Reactivity: | Human |
| Molecular Weight: | Theoretical: 28 kDa. |
| Clone: | 6F185 |
| Purification: | Protein A purified |

Applications

Verified Activity:

1. Paraformaldehyde-fixed, paraffin embedded Human Colon Cancer; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with BOB1 Monoclonal Antibody, Unconjugated (TMAB-03184) at 1: 200 overnight at 4°C, followed by conjugation to the SP Kit (Mouse) and DAB staining.
2. Paraformaldehyde-fixed, paraffin embedded Human Lymph; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with BOB1 Monoclonal Antibody, Unconjugated (TMAB-03184) at 1: 200 overnight at 4°C, followed by conjugation to the SP Kit (Mouse) and DAB staining.
3. Paraformaldehyde-fixed, paraffin embedded Human Spleen; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with BOB1 Monoclonal Antibody, Unconjugated (TMAB-03184) at 1: 200 overnight at 4°C, followed by conjugation to the SP Kit (Mouse) and DAB staining.
4. Paraformaldehyde-fixed, paraffin embedded Human Esophageal Cancer; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with BOB1 Monoclonal Antibody, Unconjugated (TMAB-03184) at 1: 200 overnight at 4°C, followed by conjugation to the SP Kit (Mouse) and DAB staining.
5. Paraformaldehyde-fixed, paraffin embedded Human Gastric Cancer; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with BOB1 Monoclonal Antibody, Unconjugated (TMAB-03184) at 1: 200 overnight at 4°C, followed by conjugation to the SP Kit (Mouse) and DAB staining.
6. Paraformaldehyde-fixed, paraffin embedded Human Tonsil; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with BOB1 Monoclonal Antibody, Unconjugated (TMAB-03184) at 1: 200 overnight at 4°C, followed by conjugation to the SP Kit (Mouse) and DAB staining.

Application: IHC-P,IHC-Fr,IF

Recommended IHC-P: 1:200-500; IHC-Fr: 1:200-500; IF: 1:200-500

Properties

Stability & Storage: Store at 2°C-8°C for 1 month. Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles.

Shipping: Shipping with blue ice.

Antigen Details

Immunogen: KLH conjugated synthetic peptide: human BOB-1
Antigen Species: Human
Gene ID: 5450
Uniprot ID: Q16633

Research Background

POU domain proteins contain a bipartite DNA-binding domain divided by a flexible linker that enables them to adopt various monomer configurations on DNA. The versatility of POU protein operation is additionally conferred at the dimerization level. The POU dimer from the OCT1 gene formed on the palindromic OCT factor recognition element, or PORE (ATTTGAAATGCAAAT), could recruit the transcriptional coactivator OBF1. Studies of tissue-specific expression of immunoglobulin promoters demonstrate the importance of an octamer, ATTTGCAT, and the proteins that bind to it. This is a regulatory element important for tissue- and cell-specific transcription as well as for transcription of a number of housekeeping genes. Oct-1 encodes one protein, NF-A1, which is found in nuclear extracts from all cell types and thus is not specific to lymphoid cells as is the protein NF-A2, which is encoded by Oct-2. A novel protein designated Bob 1 (B cell Oct binding protein 1), alternatively called OBF-1, specifically interacts with Oct-1 and Oct-2, enhancing their transcriptional efficacy. Bob 1 is expressed at highest levels in spleen and peripheral blood leukocytes and represents an Oct co-factor capable of conferring cell-specific activation of Oct-1 and Oct-2. Although having no intrinsic capacity for DNA binding, Bob 1 associates tightly with the octamer motif in the presence of Oct-1 and/or Oct-2. The gene which encodes Bob 1 maps to human chromosome 11q23.1.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481