

Anti-CASP4 Polyclonal Antibody 2

Product Details

Ig Type:	IgG
Reactivity:	Human (predicted:Mouse,Rat,Chicken,Rabbit,Zebrafish)
Molecular Weight:	Theoretical: 20/43 kDa.
Purification:	Protein A purified

Applications

Verified Activity:	<p>1. Blank control: U937. Primary Antibody (green line): Rabbit Anti-Caspase 4 p20 antibody (TMAB-03642) Dilution: 2 µg /10⁶ cells; Isotype Control Antibody (orange line): Rabbit IgG. Secondary Antibody: Goat anti-rabbit IgG-PE Dilution: 1 µg /test. Protocol The cells were fixed with 4% PFA (10 min at room temperature) and then permeabilized with 90% ice-cold methanol for 20 min at room temperature. The cells were then incubated in 5% BSA to block non-specific protein-protein interactions for 30 min at room temperature. Cells stained with Primary Antibody for 30 min at room temperature. The secondary antibody used for 40 min at room temperature. Acquisition of 20,000 events was performed.</p>
Application:	FCM
Recommended	FCM: 2µg/Test

Properties

Stability & Storage:	Store at 2°C-8°C for 1 month. Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles.
Shipping:	Shipping with blue ice.

Antigen Details

Immunogen:	KLH conjugated synthetic peptide: mouse Caspase-4 subunit p20
Antigen Species:	Mouse
Gene ID:	12363
Uniprot ID:	P70343

Research Background

Caspase 4 is a 377 amino acid protein (43 kDa) that belongs to the Ced3/ICE family of cystein proteases. Caspase 4 is an "upstream" caspase with a long prodomain. It undergoes a cleavage upon activation, leading to p20 and p10 subunits which have 67% homology to mature Caspase 1 over the equivalent coding sequences. Caspase 4 is capable of cleaving itself and the p30 Caspase 1 precursor, and of inducing apoptosis in transfected insect or COS cells. In high concentrations, it can also cleave the nuclear DNA enzyme PARP but the biological relevance of this cleavage is unclear. Caspase 4 mRNA is found in most tissues examined with the exception of the brain. Highest expression is found in spleen and lung, with moderate expression in heart and liver. Low expression is observed

A DRUG SCREENING EXPERT

with skeletal muscle, kidney, and testis.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481