

Anti-HRC Polyclonal Antibody

Product Details

Ig Type:	IgG
Reactivity:	Human
Molecular Weight:	Theoretical: 77 kDa.
Purification:	Protein A purified

Applications

Verified Activity:	Paraformaldehyde-fixed, paraffin embedded (human heart tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30 min; Antibody incubation with (HRC) Polyclonal Antibody, Unconjugated (TMAB-07287) at 1:400 overnight at 4°C, followed by operating according to SP Kit (Rabbit) instructions and DAB staining.
Application:	IHC-P,IHC-Fr,IF
Recommended	IHC-P: 1:100-500; IHC-Fr: 1:100-500; IF: 1:100-500

Properties

Stability & Storage:	Store at 2°C-8°C for 1 month. Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles.
Shipping:	Shipping with blue ice.

Antigen Details

Immunogen:	KLH conjugated synthetic peptide: human HRC
Antigen Species:	Human
Gene ID:	3270
Uniprot ID:	P23327

Research Background

HRC is a 699 amino acid that binds low-density lipoprotein with high affinity. As a high capacity calcium binding protein, HRC regulates the sequestration and release of calcium in the lumen of the junctional sarcoplasmic reticulum (SR) of cardiac, skeletal and smooth muscle. This mechanism may involve direct interaction between HRC and the cytoplasmic domain of Triadin, an integral membrane protein of the SR. The gene encoding HRC maps to human chromosome 19q13.33 and mouse chromosome 7 B4

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only. Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481