

Anti-MUM1 Antibody (9S6)

Product Details

Ig Type:	IgG2a
Reactivity:	Human
Molecular Weight:	Theoretical: 79 kDa.
Clone:	9S6
Purification:	Protein G purified

Applications

Verified Activity:	<ol style="list-style-type: none">1. Paraformaldehyde-fixed, paraffin embedded Human tonsil; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with MUM1 Monoclonal Antibody, Unconjugated (TMAB-09108) at 1: 200 overnight at 4°C, followed by conjugation to the AffiniPure Goat Anti-Mouse IgG H&L-HRP and DAB staining.2. Paraformaldehyde-fixed, paraffin embedded Human Colon; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with MUM1 Monoclonal Antibody, Unconjugated (TMAB-09108) at 1: 200 overnight at 4°C, followed by conjugation to the AffiniPure Goat Anti-Mouse IgG H&L-HRP and DAB staining.3. Paraformaldehyde-fixed, paraffin embedded Human lymph; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with MUM1 Monoclonal Antibody, Unconjugated (TMAB-09108) at 1: 200 overnight at 4°C, followed by conjugation to the AffiniPure Goat Anti-Mouse IgG H&L-HRP and DAB staining.
Application:	IHC-P,IHC-Fr,IF
Recommended	IHC-P: 1:100-500; IHC-Fr: 1:100-500; IF: 1:100-500

Properties

Stability & Storage:	Store at 2°C-8°C for 12 months. Avoid repeated freeze-thaw cycles.
Shipping:	Shipping with blue ice.

Antigen Details

Immunogen:	Recombinant Protein: human PWWP3A
Antigen Species:	Human
Gene ID:	84939
Uniprot ID:	Q2TAK8

Research Background

Enables nucleosome binding activity. Involved in DNA repair and chromatin organization. Located in cytosol and nucleoplasm. [provided by Alliance of Genome Resources, Jun 2025]

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only. Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481