

Anti-NCOA2/KAT13C Polyclonal Antibody

Product Details

| | |
|-------------------|---|
| Ig Type: | IgG |
| Reactivity: | Mouse (predicted:Human,Rat,Cow,Horse,Sheep) |
| Molecular Weight: | Theoretical: 159 kDa. Actual: 159 kDa. |
| Purification: | Protein A purified |

Applications

| | |
|--------------------|---|
| Verified Activity: | Sample: liver (Mouse) Lysate at 40 µg Primary: Anti-NCOA2/KAT13C (TMAB-09282) at 1/300 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 159 kD Observed band size: 159 kD |
| Application: | WB |
| Recommended | WB: 1:500-2000 |

Properties

| | |
|----------------------|---|
| Stability & Storage: | Store at 2°C-8°C for 1 month. Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles. |
| Shipping: | Shipping with blue ice. |

Antigen Details

| | |
|------------------|--|
| Immunogen: | KLH conjugated synthetic peptide: human NCOA2/KAT13C |
| Antigen Species: | Human |
| Gene ID: | 10499 |
| Uniprot ID: | Q15596 |

Research Background

Steroid and thyroid hormones and retinoic acid regulate a complex array of gene expression activity via intracellular receptor transcription factors belonging to the ligand dependent nuclear receptor superfamily. Adding to the complexity of function of these transcription factors are associated proteins known as coactivators and corepressors which, as their names suggest, enhance or depress transcriptional activity of the nuclear receptor with which they associate. One such coactivator is KAT13C / nuclear receptor coactivator 2 (NCOA2), also termed Glucocorticoid receptor-interacting protein 1 (GRIP1).

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only. Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481