

Anti-ZNF502 Polyclonal Antibody

Product Details

Ig Type:	IgG
Reactivity:	Human
Molecular Weight:	Theoretical: 63 kDa. Actual: 60 kDa.
Purification:	Protein A purified

Applications

1. Tissue/cell: human brain glioma; 4% Paraformaldehyde-fixed and paraffin-embedded; Antigen retrieval: citrate buffer (0.01 M, pH 6.0), Boiling bathing for 15 min; Block endogenous peroxidase by 3% Hydrogen peroxide for 30 min; Blocking buffer (normal goat serum) at 37°C for 20 min; Incubation: Anti-ZNF502 Polyclonal Antibody, Unconjugated (TMAB-14384) 1:500, overnight at 4°C, followed by conjugation to the secondary antibody and DAB staining

2. Sample:

Verified Activity:	Lane 1: Human SH-SY5Y cell lysates
	Lane 2: Human U-2 OS cell lysates
	Lane 3: Human HUVEC cell lysates
	Lane 4: Human 293T cell lysates
	Lane 5: Human A549 cell lysates
	Primary: Anti-ZNF502 (TMAB-14384) at 1/1000 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution	
Predicted band size: 63 kDa	
Observed band size: 60 kDa	

Application: WB,IHC-P,IHC-Fr,IF

Recommended WB: 1:500-2000; IHC-P: 1:100-500; IHC-Fr: 1:100-500; IF: 1:100-500

Properties

Stability & Storage: Store at 2°C-8°C for 1 month. Store at -20°C or -80°C for 12 months. Avoid repeated freeze-thaw cycles.

Shipping: Shipping with blue ice.

Antigen Details

Immunogen:	KLH conjugated synthetic peptide: human ZNF502
Antigen Species:	Human
Gene ID:	91392
Uniprot ID:	Q8TBZ5

Research Background

ZNF502 may be involved in transcriptional regulation. It belongs to the krueppel C2H2 type zinc finger protein family. ZNF502 contains fourteen C2H2 type zinc fingers.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481