

## Didesmethylocaglamide

## Chemical Properties

CAS No. : 177262-30-5


Formula: C<sub>27</sub>H<sub>27</sub>N<sub>0</sub>O<sub>7</sub>

Molecular Weight: 477.51

Store at low temperature

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Actual storage temperature shall be subject to the COA.



## Biological Description

Description	Didesmethylocaglamide is a and selective small molecule inhibitor of the eukaryotic translation initiation factor 4A (eIF4A) that effectively blocks the protein translation machinery to exert robust anti-proliferative and pro-apoptotic activities against malignant peripheral nerve sheath tumors and various sarcoma lineages.
Targets(IC50)	Others
In vitro	In cell proliferation assays, Didesmethylocaglamide inhibited osteosarcoma cell growth and induced apoptosis as a protein translation inhibitor [1].

## Solubility Information

Solubility	DMSO: 80 mg/mL (167.54 mM),Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
In vivo Formulation	10% DMSO+40% PEG300+5% Tween-80+45% Saline: 2.4 mg/mL (5.03 mM),Sonication is recommended. <i>Please add the solvents sequentially, clarifying the solution as much as possible before adding the next one. Dissolve by heating and/or sonication if necessary. Working solution is recommended to be prepared and used immediately. The formulation provided above is for reference purposes only. In vivo formulations may vary and should be modified based on specific experimental conditions.</i>

### Preparing Stock Solutions

---

	1mg	5mg	10mg
1 mM	2.0942 mL	10.471 mL	20.942 mL
5 mM	0.4188 mL	2.0942 mL	4.1884 mL
10 mM	0.2094 mL	1.0471 mL	2.0942 mL
50 mM	0.0419 mL	0.2094 mL	0.4188 mL

---

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

### Reference

Long-Sheng Chang, et al. Targeting Protein Translation by Rocaglamide and Didesmethylocaglamide to Treat MPNST and Other Sarcomas. *Mol Cancer Ther.* 2020 Mar;19(3):731-741.

Long-Sheng Chang, et al. Abstract 1950: The eIF4A inhibitors didesmethylrocaglamide and rocaglamide as effective treatments for pediatric bone and soft-tissue sarcomas. *Cancer Res* 2020;80(16 Suppl):Abstract nr 1950.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481