

Methyl-PEG2-alcohol

Chemical Properties

CAS No. : 111-77-3

Formula: C₅H₁₂O₃

Molecular Weight: 120.15

Keep away from direct sunlight

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Actual storage temperature shall be subject to the COA.



Biological Description

Description	Methyl-PEG2-alcohol, a PEG-based linker for PROTACs, joins two essential ligands necessary for forming PROTAC molecules and enables selective protein degradation by leveraging the ubiquitin-proteasome system within cells.
Targets(IC50)	Others,PROTAC Linker
In vitro	PROTACs consist of two distinct ligands joined by a linker; one binds to an E3 ubiquitin ligase, and the other to the target protein. They leverage the intracellular ubiquitin-proteasome system to selectively degrade target proteins [1].

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	8.3229 mL	41.6146 mL	83.2293 mL
5 mM	1.6646 mL	8.3229 mL	16.6459 mL
10 mM	0.8323 mL	4.1615 mL	8.3229 mL
50 mM	0.1665 mL	0.8323 mL	1.6646 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481