

BCN-PEG4-alkyne

Chemical Properties

CAS No. :


Formula: C₂₂H₃₃N₆O₆

Molecular Weight: 407.5

Keep away from direct sunlight

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Actual storage temperature shall be subject to the COA.



Biological Description

| | |
|---------------|---|
| Description | BCN-PEG4-alkyne is a PEG-based linker for PROTACs that joins two essential ligands, crucial for forming PROTAC molecules, enabling selective protein degradation by leveraging the ubiquitin-proteasome system within cells. |
| Targets(IC50) | Others,PROTAC Linker |
| In vitro | PROTACs consist of two distinct ligands connected by a linker: one binds to an E3 ubiquitin ligase, and the other to the target protein. They leverage the intracellular ubiquitin-proteasome system to selectively degrade target proteins[1]. |

Preparing Stock Solutions

| | 1mg | 5mg | 10mg |
|-------|-----------|------------|------------|
| 1 mM | 2.454 mL | 12.2699 mL | 24.5399 mL |
| 5 mM | 0.4908 mL | 2.454 mL | 4.908 mL |
| 10 mM | 0.2454 mL | 1.227 mL | 2.454 mL |
| 50 mM | 0.0491 mL | 0.2454 mL | 0.4908 mL |

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481