

## Boc-NH-PEG3-sulfonic acid

## Chemical Properties

CAS No. : 1817735-32-2


Formula: C<sub>13</sub>H<sub>27</sub>N<sub>1</sub>O<sub>8</sub>S

Molecular Weight: 357.42

Keep away from direct sunlight

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Actual storage temperature shall be subject to the COA.



## Biological Description

Description	Boc-NH-PEG3-sulfonic acid, a polyethylene glycol (PEG) derived linker, is utilized in the synthesis of proteolysis-targeting chimeras (PROTACs)[1].
Targets(IC50)	Others,PROTAC Linker
In vitro	PROTACs consist of two distinct ligands connected by a linker: one binds to an E3 ubiquitin ligase, and the other targets a specific protein. They leverage the intracellular ubiquitin-proteasome system to selectively degrade target proteins[1].

## Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.7978 mL	13.9891 mL	27.9783 mL
5 mM	0.5596 mL	2.7978 mL	5.5957 mL
10 mM	0.2798 mL	1.3989 mL	2.7978 mL
50 mM	0.056 mL	0.2798 mL	0.5596 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

## Reference

An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481