

S-acetyl-PEG6

Chemical Properties

CAS No. : 1352221-63-6


Formula: C₁₄H₂₈O₇S

Molecular Weight: 340.43

Storage: Keep away from direct sunlight

Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Actual storage temperature shall be subject to the COA.



Biological Description

Description	S-acetyl-PEG6-alcohol is a PEG Linker, which is used to synthesize compounds and increases solubility in aqueous media.
Targets(IC50)	Others,PROTAC Linker

Solubility Information

Solubility	DMSO: Soluble, (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	---

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.9375 mL	14.6873 mL	29.3746 mL
5 mM	0.5875 mL	2.9375 mL	5.8749 mL
10 mM	0.2937 mL	1.4687 mL	2.9375 mL
50 mM	0.0587 mL	0.2937 mL	0.5875 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

Sano K, Nakajima T, Miyazaki K, Ohuchi Y, Ikegami T, Choyke PL, Kobayashi H. Short PEG-linkers improve the performance of targeted, activatable monoclonal antibody-indocyanine green optical imaging probes. *Bioconjug Chem.* 2013 May 15;24(5):811-6. doi: 10.1021/bc400050k. Epub 2013 May 3. PubMed PMID: 23600922; PubMed Central PMCID: PMC3674550.

Harrison E, Coulter JA, Dixon D. Gold nanoparticle surface functionalization: mixed monolayer versus hetero bifunctional peg linker. *Nanomedicine (Lond).* 2016 Apr;11(7):851-65. Review. PubMed PMID: 27021417.

Augusto MT, Hollmann A, Porotto M, Moscona A, Santos NC. Antiviral Lipopeptide-Cell Membrane Interaction Is Influenced by PEG Linker Length. *Molecules.* 2017 Jul 15;22(7). pii: E1190. doi: 10.3390/molecules22071190.

PubMed PMID: 28714870; PubMed Central PMCID: PMC5776016.

Tuma R, Russell M, Rosendahl M, Thomas GJ Jr. Solution conformation of the extracellular domain of the human tumor necrosis factor receptor probed by Raman and UV-resonance Raman spectroscopy: structural effects of an engineered PEG linker. *Biochemistry.* 1995 Nov 21;34(46):15150-6. PubMed PMID: 7578129.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481