


## Glutathione synthesis-IN-1

## Chemical Properties

CAS No. :	2632968-72-8
Formula:	C <sub>21</sub> H <sub>16</sub> O <sub>3</sub>
Molecular Weight:	316.35
Storage:	Store at low temperature Powder: -20°C for 3 years   In solvent: -80°C for 1 year <small>Actual storage temperature shall be subject to the COA.</small>



## Biological Description

Description	Glutathione synthesis-IN-1 (DC-1) is an inhibitor of glutathione synthesis[1].
Targets(IC50)	Others

## Solubility Information

Solubility	DMSO: 45 mg/mL (142.25 mM),Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
In vivo Formulation	10% DMSO+90% Corn Oil: 2 mg/mL (6.32 mM),Sonication is recommended. <i>Please add the solvents sequentially, clarifying the solution as much as possible before adding the next one. Dissolve by heating and/or sonication if necessary. Working solution is recommended to be prepared and used immediately. The formulation provided above is for reference purposes only. In vivo formulations may vary and should be modified based on specific experimental conditions.</i>

## Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	3.1611 mL	15.8053 mL	31.6106 mL
5 mM	0.6322 mL	3.1611 mL	6.3221 mL
10 mM	0.3161 mL	1.5805 mL	3.1611 mL
50 mM	0.0632 mL	0.3161 mL	0.6322 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

ans-René BJØRSVIK, et al. Therapy. WO2021058979A1.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481