


8-Hydroxy-2'-deoxyguanosine

Chemical Properties

CAS No. :	88847-89-6
Formula:	C ₁₀ H ₁₃ N ₅ O ₅
Molecular Weight:	283.24
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year Actual storage temperature shall be subject to the COA.



Biological Description

Description	8-Hydroxy-2'-deoxyguanosine (8-OHdG) is a good biomarker for risk assessment of various cancers and degenerative diseases.
Targets(IC50)	Endogenous Metabolite

Solubility Information

Solubility	DMSO: 25 mg/mL (88.26 mM), Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
In vivo Formulation	10% DMSO+40% PEG300+5% Tween 80+45% Saline: 2 mg/mL (7.06 mM), Sonication is recommended. <i>Please add the solvents sequentially, clarifying the solution as much as possible before adding the next one. Dissolve by heating and/or sonication if necessary. Working solution is recommended to be prepared and used immediately. The formulation provided above is for reference purposes only. In vivo formulations may vary and should be modified based on specific experimental conditions.</i>

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	3.5306 mL	17.6529 mL	35.3057 mL
5 mM	0.7061 mL	3.5306 mL	7.0611 mL
10 mM	0.3531 mL	1.7653 mL	3.5306 mL
50 mM	0.0706 mL	0.3531 mL	0.7061 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

Szymańska B, Długosz A. The role of the BLCA-4 nuclear matrix protein in bladder cancer. *Postepy Hig Med Dosw (Online)*. 2017 Aug 13;71(1):681-689. Review.

Valavanidis A, et al. 8-hydroxy-2'-deoxyguanosine (8-OHdG): A critical biomarker of oxidative stress and carcinogenesis. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 2009 Apr;27(2):120-39.

Hallberg LM, Ward JB Jr, Wickliffe JK, Ameredes BT. Advanced Collaborative Emissions Study Auxiliary Findings on 2007-Compliant Diesel Engines: A Comparison With Diesel Exhaust Genotoxicity Effects Prior to 2007. *Environ Health Insights*. 2017 Jun 19;11:1178630217714215.

Dąbrowska N, Wiczkowski A. Analytics of oxidative stress markers in the early diagnosis of oxygen DNA damage. *Adv Clin Exp Med*. 2017 Jan-Feb;26(1):155-166.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481