


iNUB

Chemical Properties

CAS No. :	352336-00-6
Formula:	C ₂₄ H ₁₆ O ₅
Molecular Weight:	384.38
Storage:	Store at low temperature Powder: -20°C for 3 years In solvent: -80°C for 1 year <small>Actual storage temperature shall be subject to the COA.</small>



Biological Description

Description	iNUB is a selective small-molecule inhibitor of NEMO-ubiquitin binding that suppresses TNF α -induced NF- κ B signaling, while exhibiting selective cytotoxicity toward IKK/NF- κ B-dependent activated B-cell-like diffuse large B-cell lymphoma (ABC-DLBCL), making it a valuable research tool for dissecting NF- κ B pathway dependency and targeted cancer signaling vulnerabilities.
Targets(IC50)	Others

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.6016 mL	13.008 mL	26.0159 mL
5 mM	0.5203 mL	2.6016 mL	5.2032 mL
10 mM	0.2602 mL	1.3008 mL	2.6016 mL
50 mM	0.052 mL	0.2602 mL	0.5203 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

Alert R, Tierno P, Casademunt J. Mixed-order phase transition in a colloidal crystal. Proc Natl Acad Sci U S A. 2017 Dec 5;114(49):12906-12909. doi: 10.1073/pnas.1712584114. Epub 2017 Nov 20. PubMed PMID: 29158388; PubMed Central PMCID: PMC5724272.

Guc M, Hariskos D, Calvo-Barrio L, Jackson P, Oliva F, Pistor P, Perez-Rodriguez A, Izquierdo-Roca V. Resonant Raman scattering based approaches for the quantitative assessment of nanometric ZnMgO layers in high efficiency chalcogenide solar cells. Sci Rep. 2017 Apr 25;7(1):1144. doi: 10.1038/s41598-017-01381-4. PubMed PMID: 28442796; PubMed Central PMCID: PMC5430671.

Sánchez-Huertas C, Freixo F, Viais R, Lacasa C, Soriano E, Lüders J. Non-centrosomal nucleation mediated by augmin organizes microtubules in post-mitotic neurons and controls axonal microtubule polarity. Nat Commun. 2016 Jul 13;7:12187. doi: 10.1038/ncomms12187. PubMed PMID: 27405868; PubMed Central PMCID: PMC4947180.

Sánchez-Huertas C, Freixo F, Viais R, Lacasa C, Soriano E, Lüders J. Non-centrosomal nucleation mediated by augmin organizes microtubules in post-mitotic neurons and controls axonal microtubule polarity. Nat Commun. 2016 Jul 13;7:12187. doi: 10.1038/ncomms12187. PubMed PMID: 27405868; PubMed Central PMCID: PMC4947180.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481