

## Nectin-2 Protein, Mouse, Recombinant (His)

## General Information

Synonyms:	MPH;Pvs;Pvr;Cd112;AI325026;AI987993;poliovirus receptor-related 2 (herpesvirus entry mediator B);nectin-2
Protein Construction:	A DNA sequence encoding the mouse PVRL2 (NP_033016.3) extracellular domain (Met 1-Gly 351) was fused with a polyhistidine tag at the C-terminus. Predicted N terminal: Gln 32
Species:	Mouse
Expression Host:	HEK293 Cells
Accession:	P32507-1
Molecular Weight:	36 kDa (predicted); 40-45 kDa (reducing condition, due to glycosylation)

## QC Testing

Biological Activity:	Measured by its binding ability in a functional ELISA.1. Immobilized mouse CD112-His at 10 µg/ml (100 µl/well) can bind biotinylated mouse DNAM1-His with a linear range of 0.156-5.0 µg/ml.2. Immobilized mouse CD112-His at 10 µg/ml (100 µl/well) can bind mouse DNAM1-Fc with a linear range of 0.03-1.0 µg/ml.
Purity:	> 98 % as determined by SDS-PAGE
Endotoxin:	< 1.0 EU/µg of the protein as determined by the LAL method.
Formulation:	Lyophilized from a solution filtered through a 0.22 µm filter, containing PBS, pH 7.4. Typically, a mixture containing 5% to 8% trehalose, mannitol, and 0.01% Tween 80 is incorporated as a protective agent before lyophilization.

## Preparation and Storage

Reconstitution:  
A Certificate of Analysis (CoA) containing reconstitution instructions is included with the products. Please refer to the CoA for detailed information.

## Stability &amp; Storage:

It is recommended to store recombinant proteins at -20°C to -80°C for future use. Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

## Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

## Protein Background

Cluster of Differentiation 112 (CD112), also known as poliovirus receptor related protein 2 (PVRL2 or PRR2), is a single-pass type I transmembrane glycoprotein belonging to the Immunoglobulin superfamily. CD112 protein also

## A DRUG SCREENING EXPERT

---

serves as an entry for certain mutant strains of herpes simplex virus and pseudorabies virus, and thus is involved in cell to cell spreading of these viruses. CD112 protein has been identified as the ligand for DNAM-1 (CD226), and the interaction of CD226/CD112 protein can induce NK cell- and CD8+T cell-mediated cytotoxicity and cytokine secretion. CD112 has been regarded as a critical component in allergic reactions, and accordingly may function as a novel target for anti-allergic therapy.

### Reference

Bachelet I, et al. (2006) Mast cell costimulation by CD226/CD112 (DNAM-1/Nectin-2): a novel interface in the allergic process. *J Biol Chem.* 281(37): 27190-6.

Wang L, et al. (2009) Molecular cloning, characterization and three-dimensional modeling of porcine nectin-2/CD112. *Vet Immunol Immunopathol.* 132(2-4): 257-63.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481