

LILRB3/CD85a Protein, Human, Recombinant (hFc)

General Information

| | |
|-----------------------|--|
| Synonyms: | LILRA6;CD85A;ILT-5;LIR-3;leukocyte immunoglobulin like receptor B3;MGC138403;PIRB;LIR3;ILT5;XXbac-BCX105G6.7;HL9 |
| Protein Construction: | A DNA sequence encoding the human LILRB3 (AAI04994.1) (Met1-Glu443) was expressed with the Fc region of human IgG1 at the C-terminus. Predicted N terminal: Gly 24 |
| Species: | Human |
| Expression Host: | HEK293 Cells |
| Accession: | AAI04994.1 |
| Molecular Weight: | 72.9 kDa (predicted) |

QC Testing

| | |
|----------------------|--|
| Biological Activity: | Activity testing is in progress. It is theoretically active, but we cannot guarantee it. If you require protein activity, we recommend choosing the eukaryotic expression version first. |
| Purity: | > 95 % as determined by SDS-PAGE. |
| Endotoxin: | < 1.0 EU/μg of the protein as determined by the LAL method. |
| Formulation: | Lyophilized from a solution filtered through a 0.22 μm filter, containing PBS, pH 7.4. Typically, a mixture containing 5% to 8% trehalose, mannitol, and 0.01% Tween 80 is incorporated as a protective agent before lyophilization. |

Preparation and Storage

Reconstitution:
Reconstituted with sterile deionized water to 0.25 mg/mL. Reconstitution conditions may vary depending on the lot.

Stability & Storage:

It is recommended to store recombinant proteins at -20°C to -80°C for future use. Lyophilized powders can be stably stored for over 12 months, while liquid products can be stored for 6-12 months at -80°C. For reconstituted protein solutions, the solution can be stored at -20°C to -80°C for at least 3 months. Please avoid multiple freeze-thaw cycles and store products in aliquots.

Actual storage temperature shall be subject to the COA.

Shipping:

In general, lyophilized powders are shipped with blue ice, while solutions are shipped with dry ice.

Protein Background

Leukocyte immunoglobulin-like receptor subfamily B member 3, also known as Leukocyte immunoglobulin-like receptor 3, Immunoglobulin-like transcript 5, Monocyte inhibitory receptor HL9, CD85 antigen-like family member A, CD85a and LILRB3, is a single-pass type I membrane protein that belongs to the leukocyte receptor cluster (LRC) present on 19q13.4. LILRB3 / CD85a contains four Ig-like C2-type (immunoglobulin-like) domains. LILRB3 / CD85a

A DRUG SCREENING EXPERT

contains three copies of a cytoplasmic motif that is referred to as the immunoreceptor tyrosine-based inhibitor motif (ITIM). This motif is involved in the modulation of cellular responses. The phosphorylated ITIM motif can bind the SH2 domain of several SH2-containing phosphatases. LILRB3 / CD85a is expressed on immune cells where it binds to MHC class I molecules on antigen-presenting cells and transduces a negative signal that inhibits stimulation of an immune response. It is thought to control inflammatory responses and cytotoxicity to help focus the immune response and limit autoreactivity. Multiple transcript variants encoding different isoforms have been found.

Reference

- Huang,J. et al., 2010, J Virol. 84 (18): 9463-71.
Arm J.P. et al., 1997, J. Immunol. 159:2342-2349.
Wende H. et al., 2000, Immunogenetics 51:703-713.
Yu L.-R. et al., 2007,J. Proteome Res. 6:4150-4162.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481