



### Preparing Stock Solutions

---

	<b>1mg</b>	<b>5mg</b>	<b>10mg</b>
1 mM	1.9209 mL	9.6047 mL	19.2093 mL
5 mM	0.3842 mL	1.9209 mL	3.8419 mL
10 mM	0.1921 mL	0.9605 mL	1.9209 mL
50 mM	0.0384 mL	0.1921 mL	0.3842 mL

---

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

### Reference

<https://pubmed.ncbi.nlm.nih.gov/23727370/>

Morales A, et, al. Colocalization of Estrogen Receptors with the Fluorescent Tamoxifen Derivative, FLT<sub>X</sub>1, Analyzed by Confocal Microscopy. *Methods Mol Biol.* 2016;1366:163-173.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481