


Triamcinolone

Chemical Properties

CAS No. :	124-94-7
Formula:	C ₂₁ H ₂₇ F ₀₆
Molecular Weight:	394.43
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year Actual storage temperature shall be subject to the COA.



Biological Description

Description	Triamcinolone (Aristocort) is a synthetic glucocorticoid with anti-inflammatory and immunomodulating properties. Upon cell entry, triamcinolone binds to and activates the glucocorticoid receptor, which leads to translocation of the ligand-receptor complex to the nucleus and induces expression of glucocorticoid-responsive genes such as lipocortins. Lipocortins inhibit phospholipase A2, thereby blocking the release of arachidonic acid from membrane phospholipids and preventing the synthesis of prostaglandins and leukotrienes, both mediators of inflammation. In addition, pro-inflammatory cytokine production, including interleukin (IL)-1 and IL-6, and the activation of cytotoxic T-lymphocytes is also inhibited. T-cells are prevented from making IL-2 and proliferating. This agent also decreases the number of circulating lymphocytes, induces cell differentiation, and stimulates apoptosis through increasing Iκappa-B expression and curtailing activation of nuclear factor (NF)κappa-B.
Targets(IC50)	Glucocorticoid Receptor, COX, Interleukin

Solubility Information

Solubility	Ethanol: 1 mg/mL (2.54 mM), Sonication is recommended. DMSO: 55 mg/mL (139.44 mM), Sonication is recommended. H ₂ O: < 1 mg/mL (insoluble or slightly soluble), (< 1 mg/ml refers to the product slightly soluble or insoluble)
In vivo Formulation	10% DMSO+40% PEG300+5% Tween 80+45% Saline: 2 mg/mL (5.07 mM), Sonication is recommended. <i>Please add the solvents sequentially, clarifying the solution as much as possible before adding the next one. Dissolve by heating and/or sonication if necessary. Working solution is recommended to be prepared and used immediately. The formulation provided above is for reference purposes only. In vivo formulations may vary and should be modified based on specific experimental conditions.</i>

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.5353 mL	12.6765 mL	25.353 mL
5 mM	0.5071 mL	2.5353 mL	5.0706 mL
10 mM	0.2535 mL	1.2677 mL	2.5353 mL
50 mM	0.0507 mL	0.2535 mL	0.5071 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

Schaefer EC, et al. Am J Vet Res. 2009 Dec;70(12):1494-501.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481