

Sulfone-Bis-PEG4-acid

Chemical Properties

CAS No. : 2055024-37-6


Formula: C₂₂H₄₂O₁₄S

Molecular Weight: 562.63

Keep away from direct sunlight

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Actual storage temperature shall be subject to the COA.



Biological Description

Description	Sulfone-Bis-PEG4-acid, a PEG-based linker for PROTACs, joins two essential ligands crucial for forming PROTAC molecules, enabling selective protein degradation by leveraging the ubiquitin-proteasome system within cells.
Targets(IC50)	Others,PROTAC Linker
In vitro	PROTACs consist of two distinct ligands linked together: one targets an E3 ubiquitin ligase, while the other targets the protein of interest. By leveraging the intracellular ubiquitin-proteasome system, PROTACs facilitate the selective degradation of target proteins[1].

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	1.7774 mL	8.8868 mL	17.7737 mL
5 mM	0.3555 mL	1.7774 mL	3.5547 mL
10 mM	0.1777 mL	0.8887 mL	1.7774 mL
50 mM	0.0355 mL	0.1777 mL	0.3555 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481