


D-chiro-Inositol

Chemical Properties

CAS No. :	643-12-9
Formula:	C ₆ H ₁₂ O ₆
Molecular Weight:	180.16
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year Actual storage temperature shall be subject to the COA.



Biological Description

Description	D-chiro-Inositol (D-(+)-CHIRO-INOSITOL) is an epimer of myo-inositol that is found in certain mammalian glycosylphosphatidylinositol protein anchors and inositol phosphoglycans possessing insulin-like bioactivity.
Targets(IC50)	NF-κB, Microtubule Associated, Endogenous Metabolite, FOXO, TNF

Solubility Information

Solubility	H ₂ O: 75 mg/mL (416.3 mM), Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	--

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	5.5506 mL	27.7531 mL	55.5062 mL
5 mM	1.1101 mL	5.5506 mL	11.1012 mL
10 mM	0.5551 mL	2.7753 mL	5.5506 mL
50 mM	0.111 mL	0.5551 mL	1.1101 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

Ostlund RE Jr, Seemayer R, Gupta S et al. A stereospecific myo-inositol/D-chiro-inositol transporter in HepG2 liver cells. Identification with D-chiro-[3-³H]inositol[J]. J Biol Chem. 1996 Apr 26;271(17):10073-8.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481