


## Z-DEVD-FMK

## Chemical Properties

CAS No. :	210344-95-9
Formula:	C30H41FN4O12
Molecular Weight:	668.66
Storage:	Store under nitrogen, Store at low temperature Powder: -20°C for 3 years   In solvent: -80°C for 1 year <small>Actual storage temperature shall be subject to the COA.</small>



## Biological Description

Description	Z-DEVD-FMK (Caspase-3 Inhibitor) is a Caspase-3 inhibitor (IC <sub>50</sub> =18 μM), featuring selectivity, irreversibility and cell permeability. Z-DEVD-FMK can inhibit caspase activation induced apoptosis.
Targets(IC <sub>50</sub> )	Caspase
In vitro	<p><b>METHODS:</b> v-K-ras transformed normal rat kidney cells KNRK were treated with SCH56582 (20 μM) and Z-DEVD-FMK (20-50 μM) for 24 h. Cell death was detected using trypan blue.</p> <p><b>RESULTS:</b> Addition of 50 μM Z-DEVD-fmk resulted in &gt;70% inhibition of apoptosis. [1]</p> <p><b>METHODS:</b> Human multiple myeloma cells KM3 were treated with betulinic acid (15 μg/mL) and Z-DEVD-FMK (50 mol/L) for 24 h, and the expression level of target proteins was detected using Western Blot.</p> <p><b>RESULTS:</b> Z-DEVD-FMK attenuated the betulinic acid-induced activation of caspase 3. Z-DEVD-FMK significantly blocked the cleavage of PARP. Z-DEVD-FMK significantly blocked PARP cleavage. [2]</p>
In vivo	<p><b>METHODS:</b> To test the in vivo activity, Z-DEVD-FMK (1.8 mg/kg in ethanol and freshly diluted in PBS containing 2% Tween-80) was injected intraperitoneally into C57BL/6 mice, followed by CPT-11 (350 mg/kg) 30 min later. Z-DEVD-FMK was continued to be administered once daily for three days.</p> <p><b>RESULTS:</b> Caspase-3 inhibitor Z-DEVD-FMK attenuated PT-11-induced GATA6-deficient mouse peritoneal macrophages. [3]</p>
Kinase Assay	Caspase activity assay : Caspase-3 and caspase-9 activities are measured using fluorescent-based substrate. After treatment, the cells are resuspended in lysis buffer (50 mM Tris HCl, 1 mM EDTA, and 10 mM EGTA) containing 10 mM digitonin for 20 min at 37°C. Supernatants are treated with either of the fluorogenic substrates Ac-DEVD-AFC for caspase-3 or Ac-LEHD-AFC for caspase-9 for 1 h at 37°C and fluorescence is measured at excitation at 400 nm and emission at 505 nm using a Gemini XS
Cell Research	N27 cells are incubated with 100 μM 6-OHDA for 24 h or 300 μM MPP+ for 36 h in the presence or absence of 50 μM Z-DEVD-FMK and cell death is determined by MTT (3-(4,5-dimethylthiazol-3-yl)-2,5-diphenyl tetrazolium bromide) assay, which is widely used to assess cell viability. After treatment, the cells are incubated in serum-free medium containing 0.25 mg/ml MTT for 3 h at 37°C. Formation of formazan from tetrazolium is measured at 570 nm with a reference wavelength at 630 nm using a SpectraMax

## A DRUG SCREENING EXPERT

Cell Research	microplate reader.(Only for Reference)
---------------	--

### Solubility Information

Solubility	H2O: < 1 mg/mL (insoluble or slightly soluble), DMSO: 252.5 mg/mL (377.62 mM),Sonication is recommended. Ethanol: < 1 mg/mL (insoluble or slightly soluble), (< 1 mg/ml refers to the product slightly soluble or insoluble)
In vivo Formulation	10% DMSO+40% PEG300+5% Tween 80+45% Saline: 5 mg/mL (7.48 mM),Sonication is recommended. <i>Please add the solvents sequentially, clarifying the solution as much as possible before adding the next one. Dissolve by heating and/or sonication if necessary. Working solution is recommended to be prepared and used immediately. The formulation provided above is for reference purposes only. In vivo formulations may vary and should be modified based on specific experimental conditions.</i>

### Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	1.4955 mL	7.4776 mL	14.9553 mL
5 mM	0.2991 mL	1.4955 mL	2.9911 mL
10 mM	0.1496 mL	0.7478 mL	1.4955 mL
50 mM	0.0299 mL	0.1496 mL	0.2991 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

### Reference

- Suzuki N, et al. Farnesyltransferase inhibitors induce cytochrome c release and caspase 3 activation preferentially in transformed cells. *Proc Natl Acad Sci U S A*. 1998 Dec 22;95(26):15356-61.
- Tang Q, Li W, Zheng X, et al. MELK is an oncogenic kinase essential for metastasis, mitotic progression, and programmed death in lung carcinoma. *Signal Transduction and Targeted Therapy*. 2020, 5(1): 1-12.
- Zhu Q, Ding L, Zi Z, et al. Viral-Mediated AURKB Cleavage Promotes Cell Segregation and Tumorigenesis[J]. *Cell reports*. 2019 Mar 26;26(13):3657-3671.e5.
- Zhang Y, Fan B Y, Pang Y L, et al. Neuroprotective effect of deferoxamine on erastin-induced ferroptosis in primary cortical neurons. *Neural Regeneration Research*. 2020, 15(8): 1539
- Zhao M, Xian W, Liu W, et al. Maresin1 alleviates neuroinflammation by inhibiting caspase-3/GSDME-mediated pyroptosis in mice cerebral ischemia-reperfusion model. *Journal of Stroke and Cerebrovascular Diseases*. 2024: 107789.
- Chen X, Du S, Zhang Y, et al. Caspase-mediated AURKA cleavage at Asp132 is essential for paclitaxel to elicit cell apoptosis. *Theranostics*. 2024, 14(10): 3909.
- Li Y, Du S, Zhou K, et al. A Small Molecule that Selectively Inhibits the Growth of Epstein-Barr Virus-latently Infected Cancer Cells. *iScience*. 2024
- Yang LJ, et al. Betulinic acid inhibits autophagic flux and induces apoptosis in human multiple myeloma cells in vitro. *Acta Pharmacol Sin*. 2012 Dec;33(12):1542-8.
- Zou Y, Zheng S, Xie X, et al. N6-methyladenosine regulated FGFR4 attenuates ferroptotic cell death in recalcitrant HER2-positive breast cancer. *Nature Communications*. 2022, 13(1): 1-18
- Huang MY, et al. Chemotherapeutic agent CPT-11 eliminates peritoneal resident macrophages by inducing apoptosis. *Apoptosis*. 2016 Feb;21(2):130-42.
- Zhao Q, Feng H, Yang Z, et al. The central role of a two-way positive feedback pathway in molecular targeted therapies-mediated pyroptosis in anaplastic thyroid cancer. *Clinical and Translational Medicine*. 2022, 12(2): e727
- Meguro T, et al. *Stroke*. 2001, 32(2), 561-566.
- Zhao Q, Feng H, Yang Z, et al. The central role of a two-way positive feedback pathway in molecular targeted therapies-mediated pyroptosis in anaplastic thyroid cancer. *Clinical and Translational Medicine*. 2022, 12(2): e727
- Zhu Q, Ding L, Zi Z, et al. Viral-Mediated AURKB Cleavage Promotes Cell Segregation and Tumorigenesis. *Cell Reports*. 2019 Mar 26;26(13):3657-3671.e5
- Kanthasamy AG, et al. *Free Radic Biol Med*. 2006, 41(10), 1578-1589.
- Zhang Y, Fan B Y, Pang Y L, et al. Neuroprotective effect of deferoxamine on erastin-induced ferroptosis in primary cortical neurons[J]. *Neural Regeneration Research*. 2020, 15(8): 1539.
- Liu X, Song X, Luan D, et al. Real-time in situ Visualizing the Sequential Activation of Caspase Cascade Using a Multi-color Au-Se Bonding Fluorescent Nanoprobe. *Analytical Chemistry*. 2019, 91(9): 5994-6002
- Hussain M, Lu Y, Tariq M, et al. A small-molecule Skp1 inhibitor elicits cell death by p53-dependent mechanism. *iScience*. 2022, 25(7): 104591.
- Zhang Y, Fan B Y, Pang Y L, et al. Neuroprotective effect of deferoxamine on erastin-induced ferroptosis in primary cortical neurons[J]. *Neural regeneration research*. 2020, 15(8): 1539.
- Wang X Y, Wu K H, Pang H L, et al. Study on the Role of Cytc in Response to BmNPV Infection in Silkworm, *Bombyx mori* (Lepidoptera)[J]. *International journal of molecular sciences*. 2019, 20(18): 4325.
- Wang X Y, Wu K H, Pang H L, et al. Study on the Role of Cytc in Response to BmNPV Infection in Silkworm, *Bombyx mori* (Lepidoptera). *International journal of molecular sciences*. 2019, 20(18): 4325.
- Liu X, Song X, Luan D, et al. Real-time in situ Visualizing the Sequential Activation of Caspase Cascade Using a Multi-color Au-Se Bonding Fluorescent Nanoprobe[J]. *Analytical chemistry*. 2019 May 7;91(9):5994-6002.
- Xia H, Zhang Z, You F. Inhibiting ACSL1-Related Ferroptosis Restrains Murine Coronavirus Infection. *Viruses*. 2021, 13(12): 2383.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

**This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use**

Tel: 781-999-4286 E\_mail: info@targetmol.com Address: 34 Washington Street, Wellesley Hills, MA 02481